



**WINE & BEER
SUPPLY**

2026 HOME WINEMAKING CATALOG

***Please note this Catalog does not
include any prices. Please call our office
for current pricing .***

Equipment, Supplies, Accessories, & Bottles For The Home Winemaker

Physical Address: 373 S. White Horse Pike, Hammonton, NJ 08037

Mailing Address: PO Box 72, Hammonton, NJ 08037

Tel: (609)-561-8199 Fax: (609)-561-3429

Web: www.ginopinto.com

Email: makewine@ginopinto.com

Home Winemaking Catalog

Company Background:

Gino Pinto LLC is a family operated business which was established in 1968 by Gino Pinto. Gino Pinto LLC imports wine-making equipment and supplies from Europe for distribution to its clientele here in the U.S. Gino Pinto LLC also sources wine making equipment from domestic manufacturers in the U.S. as well as distributes fresh wine grape and grape juice from our suppliers in the U.S., Chile, Italy, and South Africa. The company is located in Hammonton, New Jersey.

In June of 2021 Gino Pinto LLC merged with Wine & Beer Supply of Ashland, Virginia. This merger facilitates our expansion into other product lines such as beer and mobile services including bottling, filtration, reverse osmosis, canning, and kegging.

Terms & Prices:

All prices are List FOB Hammonton, NJ . Terms are cash, credit card, or approved check on delivery. Prices are subject to change without notice. We reserve the right to change prices for any currency rate fluctuation or change in factory pricing. This catalog shall not be deemed to be offers by Gino Pinto LLC.

WE ACCEPT



Shipping:

Orders are shipped via UPS or common carrier on a prepaid basis, billed on your invoice.

Damage Or Loss Claims:

When you sign for your freight bill be sure to verify the number of cartons received. Any discrepancy or damages must be signed by the driver at the time of delivery on the freight bill in order to honor the claim.

Returns:

Returned merchandise must be authorized by Gino Pinto Inc. and is subject to a 25% restocking fee. Merchandise must be returned within 30 days of original purchase date.

Customer Pick Up:

Please call in 24 hours in advance when picking up large orders.

Important Pricing Note

Due to fluctuations in shipping, material costs, production costs, and tariffs, prices are subject to change. Catalog prices are not offers and we reserve the right to change prices without notice.

Table of Contents

Accessories	4-14	Parts Section For Equipment And Stainless Steel Tanks	91
Barrels	16-22	Enolmatic Model Bottle Filler Parts	102-104
Barrel Accessories	23-25	Enolmatic Tandem Filter Parts	105
Barrel Racks	26-27	Grifo Hobby Wine Filter Parts	106-107
Bottles	28-41	Grifo Grape Crusher / Grape Destemmer (Stand Type / DMA, DMAI) Parts	108-112
Bottle Finishing-PVC Capsule Heat Sealers	46	Grifo Grape Crusher / Grape Destemmer (Stand Type / DMC, DMCSI, DMCI) Parts	113-117
Bottle Fillers	42-43	Grifo Floor Corker- Parts	120
Bottle Fillers-Accessories	44-45	Grifo Manual Crown Capper Model TCSG Parts	121-122
Bottle Washing	46	Marchisio PVC Capsule Heat Shrink Applicator, Bench Model, 110 Volt Parts	118-119
Cappers	53	Marchisio Electric Pump Bronze / Model 20 Type EEM20 Parts	132
Carboys	47	Marchisio Ratchet Press Parts	130-131
Chemicals & Additives	48-52	Marchisio Stainless Steel Tanks-Replacement Parts	92-98
Corkers	53	Plastic Barrels (Fustino A Botticella) Parts	129
Corks	54-56	Reber Tomato Processor Parts	133-138
Damigiane	47	Sansone Stainless Steel Tanks-Replacement Parts	99-100
Fermentation Tubs	57-59	Zambelli Hydro 20 to 80 (Water) Press Parts	123-128
Filters-20x20 cm	60-62	Zambelli Red Large Floor Corker Parts	120
Filter Sheets	63	Zambelli S.S. Bottle Filler, Model "Hobby 3 & 5" Parts	101
Fruit Crushers	64-65	Premium Wine Grapes & Juice For Home Winemakers	139
Grape Crushers (Stand Type)	66-67	Fruit Juice For Home Winemakers	140
Grape Crusher / De-Stemmers (Stand Type)	68-73		
Grape Crusher / De-Stemmers-Accessories	74		
Presses	75-77		
Pumps	15		
Stainless Steel Tanks	78-89		
Tomato Processor	90		

Accessories

Twin Bubble Air Lock
Cat. No.: ACC-AIRVENT



3 Piece Air Lock
Cat. No.: ACC-AIRVENT3PC



Air Lock- Hydraulic (Plastic)
Cat. No.: ACC-AIRLOCKHYDRAULIC



Auto Siphon For Barrels & Damigiane

- Single stroke action draws a siphon without disturbing sediment.
- Precision designed for smooth, leak-free operation.
- Simple to sanitize, dead easy to use.
- Removable tip prevents siphoning of sediment.
- 3/8" Made By Fermtech

Cat. No.: ACC-AUTOSIPHON



Wine Thief-Acrylic

- Unique design allows you to insert a standard hydrometer directly into The Thief.
- High grade acrylic for excellent clarity.
- Measures 19" in length.
- Simply dip once for a quick sample.
- Just touch the tip to the rim to empty The Thief.
- Made By Fermtech

Cat. No.: ACCACR-WINETHIEF



Three Piece Plastic Wine Thief

This unique Sampler can be broken down into three pieces for easy cleaning.

- 18" long (45 cms)
- BPA Free

Cat. No.: ACCWP-WINETHIEF



Accessories

Bottle Brush

Cat. No.: ACC-BTLBRUSH



Carboy Brush

Cat. No.: ACC-CRBBRUSH



Cheese Cloth, 36"x36"

Cat. No.: ACC-CHSCLTH



Food Grade Hose, 3/4", Price Per Foot

Cat. No.: ACC-HOSE3/4



Food Grade Mineral Oil For Hydraulic Press (1 liter)

Cat. No.: EQP84-WEMINOIL-1L



Accessories

5" NYLON FUNNEL / Cat. No.: ACC-FUNNEL5


8" NYLON FILTER FUNNEL / Cat. No.: ACC-FUNNEL8FS

10" NYLON FILTER FUNNEL / Cat. No.: ACC-FUNNEL10FS



FINE FILTERING SCREEN, ANTI-SPLASH FOR 8" OR 10" NYLON FUNNEL

Cat. No.: ACC-FUN-SC10&8/



Funnel, Capacity 26 cm With Filter Support / Cat. No.: ACC-FUNNEL26FS

Funnel, Capacity 30 cm With Filter Support / Cat. No.: ACC-FUNNEL30FS

Funnel, Capacity 35 cm With Filter Support / Cat. No.: ACC-FUNNEL35FS



Funnel Screen For Filter Sizes 26, 30, 35 cm / Cat. No.: ACC-FUNNELSCR26/30/35



Beer & Wine Hydrometer / Cat. No.: ACC-HYDROMETER



Test Tube For Hydrometer

Cat. No.: ACC-TESTTUBE



The Mix-Stir Drill Attachment

Specially designed for mixing and stirring wine/beer and de-gassing.

- Manufactured in high quality polycarbonate with ABS blades and stainless steel insert.
- The blades act like a turbine for maximum mixing and stirring efficiency.
- The Mix-Stir fits any electric drill (variable speed drill with reversing capacity recommended).
- The Mix-Stir comes standard in a 24" length. It is long enough to be used in large primary fermenters and barrels.
- The Plastic blades also make it safe to use with glass carboy.

Cat. No.: ACC-MIX-STIR



Accessories

Must Scoop, Plastic, 2 Quart

Cat. No.: ACC-MUSTSCOOP



Oak Chips

Oak chips can add attractive oak flavors and aromas to wines. They are especially useful during red wine fermentations in stabilizing color and moderating overly vegetal characteristics. Oak chips may be added during or after fermentation. They can be added in loose form to red fermenters or suspended in tanks via immersible “soaking” bags. Recommended contact time varies according to particular applications, but full extraction will usually occur within 8 weeks. Rinse in hot water before use.

American Oak Chips, 1oz Package

Cat. No.: WACHP-AMOAK1OZ



French Oak Chips, 1oz Package

Cat. No.: WACHP-FROAK1OZ



American Oak Chips, 1lb Package

Cat. No.: WACHP-AMOAK1LB



French Oak Chips, 1lb Package

Cat. No.: WACHP-FROAK1LB



Accessories

Oak Sticks

WineStix For Carboys- American Oak, 2 per package, Medium Toast
Cat. No.: WASTX-AMOAK

WineStix For Carboys- French Oak, 2 per package, Medium Toast
Cat. No.: WASTX-FROAK

WineStix For Carboys- French Oak, 2 per package, Light Toast
Cat. No.: WASTX-FROAK-LIGHT

One stick for 5-6 gallons, Good for two seasons, when done with season's wine keep the wood wet and scrub with a stainless steel (sanitized) brush; keep wet and double wrap with plastic stretch wrap and freeze. Thaw and put in the next wine. This will give 2nd season barrel type extractions and flavors. Available in different toast levels.



WineStix For Tanks-American Oak, 1 per package, Medium Toast
Cat. No.: WASTV-AMOAK

WineStix For Tanks-French Oak, 1 per package, Medium Toast
Cat. No.: WASTV-FROAK

WineStix Tank Staves are sized so that one Stave is the dosage for 30 gallons of wine. Please allow 3 months minimum extraction time to balance the extractions of short and long grain.




Accessories

Sulfur Burning Holder For 30-59-60 Gallon Wooden Barrels Cat. No.: ACC-SULFURBRNKIT

The Sulfur Burning Holder is a perforated stainless steel tube and is 1.388" OD X 4" long. It's made from 304 stainless steel with a welded end plug. It's suspended on an 24" Aluminum Rod and held with a solid rubber bung.

The sulfur disc or strip is placed in the tube where it burns. Drippings are contained within the tube.



Jet Carboy & Bottle Washer Cat. No.: ACC-JETBLWASH

The Jet Carboy and Bottle Washer is your best solution for cleaning any size bottle or carboy. Attach washer to a laundry tub faucet and washer is ready to work for you by directing a powerful stream of water from your faucet into the vessel you wish to clean.

An adapter is available to fit your kitchen faucet by removing aerator and attaching adapter and washer.



Wine Siphon And Pump Over Tool Cat. No.: ACC-WSPOT



Accessories

Plastic Wine Bottle Rack

Cat. No.: ACC-PLASTICWINERACK



Refractometer (For Sugar 0-32% BRIX)

Cat. No.: ACC-REFRACTOMETER



Siphon Kit

Cat. No.: ACC-SIPHONKIT



Stainless Steel Must Plunger (10 inch diameter disc and 48 inch (1"OD) handle)

Cat. No.: ACC-MUSTPLUNGER



Sulfur Stick

Cat. No.: WA-SULFUR STICK



Accessories

PVC Shrink Capsules

PVC Shrink Capsules (Each) - LDC- 30x55mm- Burgundy
Cat. No.: CPS37BG-PVC-EACH



PVC Shrink Capsules (Each) - LDC- 30x55mm— Matte Green
Cat. No.: CPS37GR-PVC-EACH



PVC Shrink Capsules (Each) - LDC- 30x55mm- Gold
Cat. No.: CPS37GD-PVC-EACH



PVC Shrink Capsules (Each) - LDC- 30x55mm- Purple
Cat. No.: CPS37PL-PVC-EACH



PVC Shrink Capsules (Each) - LDC- 30x55mm- Bronze
Cat. No.: CPS37BZ-PVC-EACH



PVC Shrink Capsules (Each) - LDC- 30x55mm- Silver
Cat. No.: CPS37SV-PVC-EACH



Accessories**PVC Shrink Capsules**

PVC Shrink Capsules (Each) - LDC- 30x55mm- Red
Cat. No.: CPS37RD-PVC-EACH



PVC Shrink Capsules (Each) - LDC- 30x55mm- Black With Gold Grape Border
Cat. No.: CPS37BKGD-PVC-EACH



PVC Shrink Capsules (Each) - LDC- 30x55mm— Matte Black
Cat. No.: CPS37MB-PVC-EACH



PVC Shrink Capsules (Each) - LDC- 30x55mm- Orange
Cat. No.: CPS37OR-PVC-EACH



PVC Shrink Capsules (Each) - LDC- 30x55mm— Gloss Yellow
Cat. No.: CPS37GY-PVC-EACH



PVC Shrink Capsules (Each) - LDC- 30x55mm- Blue With Gold Grape Border
Cat. No.: CPS37BLGD-PVC-EACH



PVC Shrink Capsules (Each) - LDC- 30x55mm- Gold With Black Grape Border
Cat. No.: CPS37GDBK-PVC-EACH



Accessories

PVC Shrink Capsules

PVC Shrink Capsules (Each) - LDC- 30x55mm- White
Cat. No.: CPS37WT-PVC-EACH



PVC Shrink Capsules (Each) - LDC- 30x55mm- White With Gold Grape Border
Cat. No.: CPS37WTGD-PVC-EACH



PVC Shrink Capsules (Each) - LDC- 30x55mm- Dusty Rose
Cat. No.: CPS37DR-PVC-EACH



PVC Shrink Capsules (Each) - LDC- 30x55mm- Metallic Ruby Red
Cat. No.: CPS37METRD-PVC-EACH



PVC Shrink Capsules (Each) - LDC- 30x55mm- Metallic Light Blue
Cat. No.: CPS37MLBL-PVC-EACH



PVC Shrink Capsules (Each) - LDC- 30x55mm- Metallic Green
Cat. No.: CPS37MTGR-PVC-EACH



Accessories

Titret Kit For Determination Of Sulfite In Wine


Cat. No.: ACC-TITREKIT



Vino o meter

Cat. No.: ACC-VINOMETER

A simple and quick way to check your alcohol level in your dry wines.



Wine Acid Test Kit

Cat. No.: ACC-WATESTKIT

A complete acid test kit, which includes

- Standard Sodium Hydroxide Solution
- Acid Indicator Solution (Phenolphthalein)
- Calibrated Syringe
- Test Tube



Wine pH Test Strips (2.8-4.4)

Cat. No.: ACC-PHTESTSTRIPS

Wine pH test strips are used to test the pH of the juice prior to fermentation.

Can also be used to test the pH of kombucha tea.



Thermometer (-20 To 110 C)

Cat. No.: ACC-THERMOMETER

- Immersion Length is 76mm
- -20 to 110 Centigrade
- 0 to 220 Fahrenheit



Pumps For Wine & Liquids-Centrifugal

Tellarini Electric Pump With Brass Head / Model 20 Type EEM20

- 3/4" Brass Hose Barb Fittings On The Inlet And Outlet
- Power 0.5 Hp / 110 Volt
- RPM 2800
- Overall Dimensions 248 x 120 x 172 mm
- Weight 5.8 kg (12.78 lbs)
- "TIPO EEM20"
- Self Priming (Pump Head Needs To Be Filled Before Operating)
- Reversible
- Output: 8 Gallons per minute at 1 meter head height

Cat. No.: EQ86PUMP-00020200



**REPLACEMENT BRASS CURVED AND STRAIGHT CONNECTION FITTINGS
FOR EEM 20 ELECTRIC BRONZE TRANSFER PUMP (PACKED TOGETHER)
Cat. No.: EQPPUMPPRT-CONNBRASSEEM20**



Barrels

American Oak

World Cooperage, Traditional Series, American Oak Barrel, 200 Liter (53 Gallons)

- Available In Medium (Cat. No.: BAR44AMOAK-TRAD200M) And Medium Plus Toast Level (Cat. No.: BAR44AMOAK-TRAD200M+)
- Diameter Of Head: 54cm
- Circumference Of Head: 170cm
- Diameter Of Belly: 65cm (25.59")
- Circumference Of Belly : 204cm
- Barrel Height: 89cm (35.03")
- Diameter Of Bung Hole: 50mm (1.96")
- Capacity: 53 gallons
- Weight: Approximately 110 lbs.



American Oak

**Available In Medium
And Medium Plus
Toast Level**

American Oak

World Cooperage, Traditional Series, American Oak Barrel, 225 Liter (59 Gallons)

- Available In Medium (Cat. No.: BAR44AMOAK-TRAD225M) And Medium Plus Toast Level (Cat. No.: BAR44AMOAK-TRAD225M+)
- Diameter Of Head: 58cm
- Circumference Of Head: 182cm
- Diameter Of Belly: 71cm (27.95")
- Circumference Of Belly : 223cm
- Barrel Height: 89cm (35.03")
- Diameter Of Bung Hole: 50mm (1.96")
- Capacity: 59 gallons
- Weight: Approximately 120 lbs.



American Oak

**Available In Medium
And Medium Plus
Toast Level**

World Cooperage's traditional series offers a classic barrel for your winemaking needs. This barrel is the world's best value thanks to the amazingly consistent and well-rounded oak character it imparts during aging.

Barrels**Hybrid-French / American Oak**

World Cooperage, Traditional Series, Hybrid - French / American Oak Barrel,
225 Liter (59 Gallons)

- Available In Medium (Cat. No.: BAR44FR/AMOAK-TRAD225M) And Medium Plus (Cat. No.: BAR44FR/AMOAK-TRAD225M+) Toast Level
- Diameter Of Head: 58cm
- Circumference Of Head: 182cm
- Diameter Of Belly: 71cm (27.95")
- Circumference Of Belly : 223cm
- Barrel Height: 89cm (35.03")
- Diameter Of Bung Hole: 50mm (1.96")
- French Oak Heads And American Oak Staves
- Capacity: 59 gallons
- Weight: Approximately 120 lbs.

**Hybrid-French / American Oak**

**Available In Medium
And Medium Plus
Toast Level**

French Oak

World Cooperage, Traditional Series, French Oak Barrel, 225 Liter (59 Gallons)

- Available In Medium (Cat. No.: BAR44FROAK-TRAD225M) And Medium Plus Toast Level (Cat. No.: BAR44FROAK-TRAD225M+)
- Diameter Of Head: 58cm
- Circumference Of Head: 182cm
- Diameter Of Belly: 71cm (27.95")
- Circumference Of Belly : 223cm
- Barrel Height: 89cm (35.03")
- Diameter Of Bung Hole: 50mm (1.96")
- Capacity: 59 gallons
- Weight: Approximately 120 lbs.

**French Oak**

**Available In Medium
And Medium Plus
Toast Level**

World Cooperage's traditional series offers a classic barrel for your winemaking needs. This barrel is the world's best value thanks to the amazingly consistent and well-rounded oak character it imparts during aging.

Barrels

American Oak

TW Boswell, American Oak, Soleil Barrel, 225 Liter (59 Gallons)

T W | B O S W E L L

- Wood is 24 month seasoned, fine grain oak.
- Available In Medium (Cat. No.: BAR45AMOAK-SOLEIL225M) And Medium Plus Toast Level (Cat. No.: BAR45AMOAK-SOLEIL225M+)
- Sensory Attributes: Caramel, Confectionary, Sweet Mid-Palate, Toast, Tropical Fruit, Vanilla
- Pairs well with Chardonnay and ripe jammy reds.
- Diameter Of Head: 58cm
- Circumference Of Head: 182cm
- Diameter Of Belly: 71cm (27.95")
- Circumference Of Belly : 223cm
- Barrel Height: 89cm (35.03")
- Diameter Of Bung Hole: 50mm (1.96")
- Capacity: 59 gallons
- Weight: Approximately 120 lbs.

American Oak

Available In Medium
And Medium Plus
Toast Level

The Soleil barrel is intense, surrounding the fruit with rich, toasted oak flavors, confectionary notes and a soft mouthfeel. Vanilla and caramel aromatics accentuate the sweeter mid-palate and it extends with a smooth finish.

American Oak

TW Boswell, American Oak, LEGACY Barrel, 225 Liter (59 Gallons)

T W | B O S W E L L

- Wood is 24 month seasoned, fine grain oak.
- Available In Medium (Cat. No.: BAR45AMOAK-LEGACY225M) And Medium Plus Toast Level (Cat. No.: BAR45AMOAK-LEGACY225M+)
- Sensory Attributes: Brown Sugar, Maple Syrup, Pepper, Vanilla
- Pairs well with medium to full body red and white wines.
- Diameter Of Head: 58cm
- Circumference Of Head: 182cm
- Diameter Of Belly: 71cm (27.95")
- Circumference Of Belly : 223cm
- Barrel Height: 89cm (35.03")
- Diameter Of Bung Hole: 50mm (1.96")
- Capacity: 59 gallons
- Weight: Approximately 120 lbs.

American Oak

Available In Medium
And Medium Plus
Toast Level

Designed to impart a subtle old-world nuance, the traditional T.W. Boswell Legacy adds great complexity and finesse. These stylish barrels complement your finest wines, adding texture and length while maintaining a proper balance of fruit and oak.

Barrels

French Oak

TW Boswell, French Oak, Legacy Barrel, 225 Liter (59 Gallons)

- Wood is 24 month seasoned, fine grain oak.
- Available In Medium (Cat. No.: BAR45FROAK-LEGACY225M) And Medium Plus Toast Level (Cat. No.: BAR45FROAK-LEGACY225M+)
- Pairs well with medium to full body, red and white wines.
- Diameter Of Head: 58cm
- Circumference Of Head: 182cm
- Diameter Of Belly: 71cm (27.95")
- Circumference Of Belly : 223cm
- Barrel Height: 89cm (35.03")
- Diameter Of Bung Hole: 50mm (1.96")
- Capacity: 59 gallons
- Weight: Approximately 120 lbs.

T W | B O S W E L L

French Oak

Available In Medium
And Medium Plus
Toast Level

Designed to impart a subtle old-world nuance, the traditional T.W. Boswell Legacy adds great complexity and finesse. These stylish barrels complement your finest wines, adding texture and length while maintaining a proper balance of fruit and oak.

Barrels-Small Format**US Barrel Cooperage, American Oak Barrels**

- All wood is tight grained, American White Oak.
- All wood is sourced exclusively from the Appalachian Regions of Pennsylvania.
- Barrels are steam bent.
- Galvanized steel hoops.
- All barrels are leak tested prior to shipping.
- Barrels will need to be properly hydrated prior to use.

American Oak**Available in Medium Toast**

US Barrel, American Oak Barrel, 30 Gallon, Medium Toast

- Barrel Height: 29"
- Barrel Diameter (Bilge): 21.75"
- Diameter Of Bung Hole: 1-1/2"
- Uses #9 Bung
- Barrel Weight: 75 lbs.

Cat. No.: BAR-AMOAK30G

US Barrel, American Oak Barrel, 15 Gallon, Medium Toast

- Barrel Height: 23.92"
- Barrel Diameter (Bilge): 17.75"
- Diameter Of Bung Hole: 1-1/16"
- Uses #6 Bung
- Barrel Weight: 45 lbs

Cat. No.: BAR-AMOAK15G

Barrels-Small Format-Continued**US Barrel, American Oak Barrels**

- All wood is tight grained, American White Oak.
- All wood is sourced exclusively from the Appalachian Regions of Pennsylvania.
- Barrels are steam bent.
- Galvanized steel hoops.
- All barrels are leak tested prior to shipping.
- Barrels will need to be properly hydrated prior to use.

American Oak**Available in Medium Toast**

US Barrel, American Oak Barrel, 10 Gallon, Medium Toast

- Barrel Height: 21.17"
- Barrel Diameter (Bilge): 15.87"
- Diameter Of Bung Hole: 1-1/16"
- Uses #6 Bung
- Barrel Weight: 36 lbs

Cat. No.: BAR-AMOAK10G

US Barrel, American Oak Barrel, 5 Gallon, Medium Toast

- Barrel Height: 17.27"
- Barrel Diameter (Bilge): 12.95"
- Diameter Of Bung Hole: 7/8"
- Uses #4 Bung
- Barrel Weight: 24.5 lbs

Cat. No.: BAR-AMOAK5G

US Barrel, American Oak Barrel, Capacity: 2.5 Gallon, Medium Toast

- Barrel Height: 14.42"
- Barrel Diameter (Bilge): 10.81"
- Diameter Of Bung Hole: 7/8"
- Uses #4 Bung
- Barrel Weight: 16 lbs

Cat. No.: BAR-AMOAK2.5G

Whiskey Barrels / Used

Used Whiskey (Bourbon) Barrel, American Oak, 200 Liter (53 Gallons)

- Diameter Of Belly: 24"
- Diameter Of Head: 22-1/4"
- Barrel Height: 35"
- Weight: Approximately 105 lbs
- Capacity: 53 gallons
- Bung Hole: 2"

Cat. No.: BAR-WHISKEY53G



Barrel Accessories

Silicone Barrel Bungs

Solid Silicone Bung With Grip For Wine Barrels-Ace Seal

- For Barrel Hole Ø 50mm
- Dimensions: 55mm (Top) x 44mm (Base) x 48mm Height
- Manufactured From FDA-Approved Food Grade Silicone
- Top Grip Lip For Improved Ease Of Use

Cat. No.: CK-BUNG-SOL-SIL-ACE



Spigots

Discontinued Item, While Supplies Last

Chrome Spigots

Chrome Spigot, Tapered For Barrel, 16 mm / Cat. No.: ACCCHR-SPIG16MM



Wooden Spigots

Wooden Spigot #2 / Cat. No.: ACCWD-SPIG2


Wooden Spigot #3 / Cat. No.: ACCWD-SPIG3

Wooden Spigot #4 / Cat. No.: ACCWD-SPIG4

Wooden Spigot #5 / Cat. No.: ACCWD-SPIG5

Wooden Spigot #6 / Cat. No.: ACCWD-SPIG6



Barrel Accessories**Drilled Rubber Stoppers****Drilled Rubber Stopper #3****Cat. No.: CK-BUNG3-750ML****Drilled Rubber Stopper #6****Cat. No.: CK-BUNG6****Drilled Rubber Stopper #6 ½****Cat. No.: CK-BUNG6.5****Drilled Rubber Stopper #7****Cat. No.: CK-BUNG7****Drilled Rubber Stopper #7 ½****Cat. No.: CK-BUNG7.5****Drilled Rubber Stopper #8 ½****Cat. No.: CK-BUNG8.5****Drilled Rubber Stopper #9 ½****Cat. No.: CK-BUNG9.5****Drilled Rubber Stopper #10****Cat. No.: CK-BUNG10****Drilled Rubber Stopper #10½****Cat. No.: CK-BUNG10.5****Drilled Rubber Stopper #11****Cat. No.: CK-BUNG11****Drilled Rubber Stopper #11 ½****Cat. No.: CK-BUNG11.5****Notes:**

- #11 stopper fits the Bunghole (2" Diameter) of a 200 and 225 liter barrel.
- #7 stopper fits a 3, 5, and 6 gallon carboy.
- #10 ½ stopper fits the airlock hole in a Marchisio stainless steel tank floating lid.

Barrel Accessories

Solid Rubber Stoppers

Solid Rubber Stopper #6

Cat. No.:CK-BUNG6SOL

Solid Rubber Stopper #6 ½

Cat. No.:CK-BUNG6.5SOL

Solid Rubber Stopper #7

Cat. No.:CK-BUNG7SOL

Solid Rubber Stopper #8 ½

Cat. No.:CK-BUNG8.5SOL

Solid Rubber Stopper #9 ½

Cat. No.:CK-BUNG9.5SOL

Solid Rubber Stopper #10

Cat. No.:CK-BUNG10SOL

Solid Rubber Stopper #10 ½

Cat. No.:CK-BUNG10.5SOL

Solid Rubber Stopper #11

Cat. No.: CK-BUNG11SOL



Bung Stopper

Cat. No.: CK-BUNGSTOPPER





Barrel Racks

Move more barrels, cut handling time, utilize air space, save floor space, and prevent product damage with the use of portable steel barrel racks (powder coat paint). These portable steel barrel racks come in a variety of configurations that include single and stackable barrel systems as well as two and four barrel systems. Made in the U.S.A. with 16 gauge Steel and 1/4" flat bar. Powder coated.

Double Barrel Racks

Double Barrel Rack, 7" With 4 Cross Bars, For 53 Gallon Barrels And Up-Burgundy Color
Cat. No.: ACCBRG-RACK



REFURBISHED -Double Barrel Rack, 7" With 4 Cross Bars, For 53 Gallon Barrels And Up-Burgundy Color
Cat. No.: ACCBRG-RACK-REFURB




REFURBISHED -Double Barrel Rack, 7" With 4 Cross Bars, For 53 Gallon Barrels And Up-Black Color
Cat. No.: ACCBLK-RACK-REFURB

Double Barrel Rack, 7" With 4 Cross Bars, For 30 gallon Barrels-Burgundy Color
Cat. No.: ACCBRG-RACK-DB-30G



REFURBISHED -Double Barrel Rack, 7" With 4 Cross Bars, For 30 gallon Barrels-Black Color
Cat. No.: ACCBLK-RACK-REFURB-DB-30G

Reversible Barrel Rack, Holds 30 gallon or 53 Gallon And Up
Cat. No.: ACCBRG-RACK-REV



Wine Bottles

Bordeaux Style, Model W65-5511, 750 ML, Flint, Cork Finish, Full Punt, 12 Count Case
Cat. No.: BT10FL-W65C



FULL PUNT

Wine Bottles

Bordeaux Style, Model Ecova Optima, 750 ML, Flint, Cork Finish, 12 Count Case
Cat. No.: BT11FL-ECOVA



MID PUNT

Bordeaux Style, Model Ecova Optima, 750 ML, Antique Green, Cork Finish, 12 Count Case
Cat. No.: BT11AG-ECOVA



MID PUNT

Wine Bottles

Bordeaux Style, Model #CW-027, 750 ML, Flint, Cork Finish, 12 Count Case
Cat. No.: BT11FL-CW027



MID PUNT

Bordeaux Style, Model #CWA-017, 750 ML, Antique Green, Cork Finish, 12 Count Case
Cat. No.: BT11AG-CWA017



MID PUNT

Wine Bottles

Bordeaux Style, Model #CWBL-017, 750 ML, Blue, Cork Finish, 12 Count Case
Cat. No.: BT11CB-CWBL017



MID PUNT

Bordeaux Style, Model #CW-028, 750 ML, Flint, Cork Finish, 12 Count Case
Cat. No.: BT11FL-CW028



MID PUNT

Wine Bottles

Bordeaux Style, Model #CWA-018, 750 ML, Antique Green, Cork Finish, 12 Count Case
Cat. No.: BT11AG-CW018



MID PUNT

Bordeaux Style, Model #CWA-3266, 750 ML, Antique Green, Cork Finish, 12 Count Case
Cat. No.: BT11AG-CWA3266



MID PUNT

Wine Bottles

Bordeaux Style, Deep Punt, Tapered Bottle, Model #CWA-0118, 750 ML, Antique Green, Cork Finish,
12 Count Case

Cat. No.: BT11AG-CWA0118

TAPERED BOTTLE



FULL PUNT

Bordeaux Style, Tall Tapered Bottle, Model #1247, 750 ML, Antique Green, Cork Finish, Full Punt, 12 Count Case
Cat. No.: BT19AG-1247

TAPERED BOTTLE



FULL PUNT

Wine Bottles

Bordeaux Style, Short Tapered Bottle, Model #2169, 750 ML, Antique Green, Cork Finish, Full Punt, 12 Count Case
Cat. No.: BT19AG-SK2169

TAPERED BOTTLE



FULL PUNT

Wine Bottles

Burgundy Style, Model W0059, 750 ML, Flint, Cork Finish, Full Punt, 12 Count Case
Cat. No.: BT19FL-W0059



FULL PUNT

Burgundy Style, Model W0059, 750 ML, Antique Green, Cork Finish, Full Punt, 12 Count Case
Cat. No.: BT19AG-W0059



FULL PUNT

Wine Bottles

Burgundy Style, Model CWF-033, 750 ML, Flint, Cork Finish, 12 Count Case
Cat. No.: BT11FL-CWF033-IND



MID PUNT

Burgundy Style, Model CWA-033, 750 ML, Antique Green, Cork Finish, 12 Count Case
Cat. No.: BT11AG-CWA033



MID PUNT

Wine Bottles

Burgundy Style, Model CWD-033, 750 ML, Dead Leaf Green, Cork Finish, 12 Count Case
Cat. No.: BT11DLG-CWD033-B



MID PUNT

Wine Bottles

**Bordeaux Style, Model CWA-014, 375 ML, Antique Green, Cork Finish, 12 Count Case
Cat. No.: BT11AG-CW014**



MID PUNT

**Bordeaux Style, Model CW-024, 375 ML, Flint (Clear), Cork Finish, 12 Count Case
Cat. No.: BT11FL-CW024**



MID PUNT

Wine Bottles

**Bordeaux Style, Model #CWA-015, 500 ML, Antique Green, Cork Finish (Seduction), 12 Count Case
Cat. No.: BT11AG-CW015**



MID PUNT

**Bordeaux Style, Model #CW-025, 500 ML, Flint, Cork Finish, 12 Count Case
Cat. No.: BT11FL-CW025**



MID PUNT

Wine Bottles

**Hock Style, Model #CW-0219, 750 ML, Flint, Cork Finish, 12 Count Case
Cat. No.: BT11FL-CW0219**



FLAT BOTTOM

**Ice Wine Style, Model #CW-021, 375 ML, Flint (Clear), Cork Finish, 12 Count Case
Cat. No.: BT11FL-CW021**



Wine Bottles

**Bordeaux Style, Model CW-0326, 1.5 Liter Bottle With Cork Finish, Flint, Cork Finish,
6 Count Case
Cat. No.: BT11FL-CW0326**

LIMITED AVAILABILITY. WHILE SUPPLIES LAST.



(Ref#: SCG.)

**5 Liter Magnum Bottle, Dark Green, Each
Cat. No.: BT11-MAG5L**

LIMITED AVAILABILITY. WHILE SUPPLIES LAST.



Bottle Fillers

Zambelli “Hobby 3” Bottle Filler, Stainless Steel Body With three stainless steel spouts.

- Dimensions (mm) - 410 x 490 x 560 (h)
- Bottles per hour - 275
- Weight (kg) - 7.5

Cat. No.: EQP85FILL-HOBBY3



Zambelli “Hobby 5” Bottle Filler, Stainless Steel Body With five stainless steel spouts.

- Dimensions (mm) - 670 x 490 x 560 (h)
- Bottles per hour - 390
- Weight (kg) - 10.5

Cat. No.: EQP85FILL-HOBBY5



Bottle Fillers

Enolmatic / Electric Automatic Bottle Filler



The Enolmatic is the only vacuum filler coupling small size and easy operations with professional features and performance. Hourly filling rate is about 250 bottles per hour. This unit is the ideal equipment for filling wine. Other liquids such as oil, spirits, liquor, tomato sauce, and fruit juices, can also be filled with the proper additional kit. The filler is constructed of top quality food grade materials and is reliable. A carboy, barrel or demijohn can be placed below the Enolmatic filler for up to 13 feet (4 meters). The filler is practical and you can adjust the filling level just once and it remains as default value and you can adjust the filling speed. You can use the Enolmatic with bottle heights from 250 mm up to 330mm and inner neck diameters from 16mm to 28mm.

Enolmatic Bottle Filler

Cat. No.: EQPTENCO-ENOLMATIC

Enolmatic Technical Specifications	
Production	WINE: about 250 bottles per hour OIL: about 150 bottles per hour LIQUORS: about 200 bottles per hour
Dimensions	200 x 400 x 400 mm
Weight	4 kg
Power Supply	110V (220V-60Hz available upon request)

Bottle Features (with standard nozzle)	
Neck Inner Diameter	from 16 mm up to 28 mm
Bottle Height	from 250 mm up to 330 mm

Bottle Fillers-Enolmatic Accessories**Tandem Vacuum Filter For Enolmatic**

The Tandem vacuum filter for the Enolmatic is designed to operate with the filler performing filtering and bottling at the same time. The vacuum operating mode allows you to maintain product quality and avoid spoilage and waste. The product is always handled in the most natural way throughout the process.

Tandem Vacuum Filter For Enolmatic, (Filter Cartridge Not Included).

Cat. No.: EQPTENCOPRT-ENOLMATIC_VACFILTER



Filtering Cartridges For Wine For Enolmatic

Enolmatic Filter Cartridge, Micron Size (.2), Ultra Fine Filter For White Wine

Cat. No.: EQPTENCO-ENOLFILTERUF

Enolmatic Filter Cartridge, Micron Size (.5), Extra Fine Filter For White Wine

Cat. No.: EQPTENCO-ENOLFILTERXF

Enolmatic Filter Cartridge, Micron Size (1), Fine Filter For Red Wine

Cat. No.: EQPTENCO-ENOLFILTERF

Enolmatic Filter Cartridge, Micron Size (5), Medium To Coarse Filter For Red Wine

Cat. No.: EQPTENCO-ENOLFILTERM



Bottle Fillers-Enolmatic Accessories

Enol Clean Detergent And Disinfectant For Filter Cartridges

Cat. No.: EQPTENCO-ENOLCLEAN



Demi-John Kit For Enolmatic



For racking wine from one demijohn or carboy to another. Two different sizes are supplied for filling 34 or 54 liters demijohns.

Demi-John Kit For Enolmatic


Cat. No.: EQPTENCO-ENODEMIKIT

Bottle Washing

Avvinatore Bottle Rinser-Table Model (Stands Alone)
Cat. No.: ACC-BTLRINSE



Bottle Tree Drainer-Holds 80 Bottles
Cat. No.: EQP83-WEBT80



Bottle Finishing

PVC Capsule Heat Shrink Applicator, Bench Model
Cat. No.: EQP-HEATSEALERBM



PVC Capsule Heat Shrink Applicator, Hand Held, Stainless Steel
Cat. No.: EQP-HEATSEALERHH



Carboys

3, 5 & 6 Gallon Carboys

3-Gallon Carboy / Cat. No.: GRFL-CRB3G

5-Gallon Carboy / Cat. No.: GRFL-CRB5G

6-Gallon Carboy / Cat. No.: GRFL-CRB6G



Damigiane

Damigiane With Narrow Mouth, Plastic Casing And NO Spigot

25 Liter With Plastic Casing And No Spigot, (6.6 Gallons)

Cat. No.: GRPL-DEMIJOHN25L

34 Liter With Plastic Casing And No Spigot, (8.8 Gallons)

Cat. No.: GRPL-DEMIJOHN34L

54 Liter With Plastic Casing And No Spigot, (14.25 Gallons)

Cat. No.: GRPL-DEMIJOHN54L



Damigiane With Narrow Mouth, Weaved Casing And Spigot

25 Liter With Weaved Casing And Spigot, (6.6 Gallons)

Cat. No.: GRWV-DEMIJOHN25LSPIG



Chemicals & Additives**Acid Blend, 3 oz.**

Acid blend is commonly used to increase the acidity of a must. Usage Varies.

Cat. No.: WA-ACID BLEND 3OZ

Acid Blend, 1 pound.

Acid blend is commonly used to increase the acidity of a must. Usage Varies.

Cat. No.: WA-ACID BLEND 1LB

Ascorbic Acid, 1 oz.

Ascorbic acid is used as an anti-oxidant in grape must and wine.

Cat. No.: WA-ASCORBIC ACID 1OZ

Bentonite, 4 oz.

A very fine clay used as a fining or clarifying agent in wine. Use 2 ½ tsp, mixed well in hot water.

Cat. No.: WA-BENTONITE 4OZ

Bentonite, 8 oz.

A very fine clay used as a fining or clarifying agent in wine. Use 2 ½ tsp, mixed well in hot water.

Cat. No.: WA-BENTONITE 8OZ

Campden Tablets, 2 oz (approximately 100 tablets).

Tablets used in winemaking to sanitize equipment and add free SO₂ to the must or wine. When crushed and dissolved, they provide sulfur dioxide (SO₂) in a convenient form. Tablets are made with Potassium Metabisulfite. Tablets must be crushed to use. For sanitizing bottles and other equipment, use two crushed tablets dissolved in 1 gallon of water. For adding to must, use one crushed and dissolved tablet per gallon of must and wait 12 hours before adding yeast. 1 tablet per gallon = 30 ppm SO₂.

Cat. No.: WA-CAMPDEN TABLETS 2OZ

Calcium Carbonate, 1 pound.

Lowers acidity in wine. Use 5/8 teaspoon per gallon to lower acidity .15%. Use before fermentation. Do not reduce acid more than .30%.

Cat. No.: WA-CALCIUM CARBONATE 1LB

Chemicals & Additives**Citric Acid, 2 oz.**

Citric acid is added to wines to increase acidity and is best added after all signs of fermentation have disappeared.

Cat. No.: WA-CITRIC ACID 2OZ

Citric Acid, 1 pound.

Citric acid is added to wines to increase acidity and is best added after all signs of fermentation have disappeared.

Cat. No.: WA-CITRIC ACID 1LB

Fermax Yeast Nutrient, 4 oz.

Fermax is a premium nutrient containing diammonium phosphate, dipotassium phosphate, magnesium sulfate and autolyzed yeast. This yeast energizer acts as a food for the yeast and promotes rapid starting and complete fermentation. Use: 1 teaspoon per gallon of wine.

Cat. No.: WA-FERMAX NUTRIENT 4OZ

Gelatin, 175 Bloom, 2 oz.

Fining agent for wine. Effectively removes excess tannins and coloring particles from wine. Usage: 1/2 teaspoon per 5 gallons. Dissolve in 1/2 cup water, let stand, then add.

Cat. No.: WA-GELATIN 2OZ

Liquid Oak Tannin-Vanilla, 4 oz (Fluid).

Gives a slight vanilla accent and produces a very smooth, almost creamy addition.

Cat. No.: WATAN-LIQUOAKVANILLA4OZ

Liquid Oak Tannin-Fruit Enhancer Plus, 4 oz (Fluid).

Emphasizes a ripe berry character, best for red wines.

Cat. No.: WATAN-LIQUOAKFRUIT4OZ

Malic Acid, 1 pound.

Malic acid is used to increase acid in wine juice. Use prior to fermentation.

Cat. No.: WA-MALIC ACID 1LB

Chemicals & Additives... Continued

One Step Cleanser, 8 oz, Pail.

One Step Cleanser is the only no-rinse cleanser that uses active oxygen to do its work. Does not contain chlorine, bisulfate, organic compounds or phosphates. Simply add 1 tablespoon One Step per gallon of cold or warm water and dissolve. Rinse or soak equipment and bottles with the One Step solution and use. For best results, insure that you have a 30 second contact time with the One Step solution. Perfect for stainless steel tanks as One Step Cleanser will not harm metal surfaces.

Cat. No.: WA-1STEP 80Z

Pectic Enzyme, 0.5 fluid oz.

A liquid that is added to crushed fruit to increase juice extraction. Also used during fermentation to eliminate pectin hazes. Pectic enzyme increases juice yields from fruits by breaking down cellular structure. Also acts as a clarifier, and is used to clear hazes caused by residual pectins. Use: Add 1/4 teaspoon per 6 US gallons of wine.

Cat. No.: WA-PECTIC ENZYME SOLUTION .50Z

Potassium Metabisulfite, 1 pound.

Potassium Metabisulfite is a common wine or must additive, in which it forms sulfur dioxide gas (SO₂). This both prevents most wild microorganisms from growing, and it acts as a potent antioxidant, protecting both the color and delicate flavors of wine. It can be used for sanitizing equipment and the must from which wine is to be made.

Cat. No.: WA-POTASSIUM METABISULFITE 1LB

Potassium Sorbate, 1 oz.

Potassium Sorbate is a wine stabilizer that should be used in conjunction with Campden or its active ingredient, Potassium Metabisulfite. In other words, it works better with sulfites present than without, and it works better than sulfites alone. Potassium Sorbate disrupts the reproductive cycle of yeast. Yeasts present are unable to reproduce and their population slowly diminishes through attrition. Potassium Sorbate is added in the amount of 1/2 teaspoon per gallon of wine. Sorbic Acid results and stabilizes the wine. Usually the crushed Campden and Potassium Sorbate are dissolved in a cup or two of the wine to be stabilized and stirred thoroughly. Allow the stirred wine to sit a few moments and look for small white lumps of undissolved powder. If present, continue stirring until the wine is clear without any undissolved lumps. This is then added to the larger batch and stirred in well with a sanitized glass rod or wooden dowel. Once a wine is stabilized it can be sweetened if desired.

Cat. No.: WA-POTASSIUM SORBATE 1.00Z

Chemicals & Additives... Continued

Potassium Sorbate, 1 pound.

Cat. No.: WA-POTASSIUM SORBATE 1LB

Sparkolloid Powder, 1 oz.

Sparkolloid is used as a fining (clearing) agent. Use: Dissolve 1 tbsp in 1 cup (8 fl oz.) of boiling water for 5 minutes. Add mixture to 6 U.S. gallons of wine. Stir gently. Allow wine to settle for approximately a week, then rack.

Cat. No.: WA-SPARKOLLOID POWDER 1OZ

Super-Kleer K.C., 2.2 oz.

Super-Kleer K.C. is a two stage wine and beer clarifying kit. Contains two pre-mixed pouches of kieselsol and chitosan.

Cat. No.: WA-SUPER KLEER

Tartaric Acid, 2 oz.

Tartaric acid added to wine adjusts the acidity level and pH levels. If the acidity is too low and the pH level too high, the wine becomes unstable and susceptible to spoilage through bacterial growth.

Cat. No.: WA-TARTARIC ACID 2OZ

Tartaric Acid, 1 pound.

Tartaric acid added to wine adjusts the acidity level and pH levels. If the acidity is too low and the pH level too high, the wine becomes unstable and susceptible to spoilage through bacterial growth.

Cat. No.: WA-TARTARIC ACID 1LB

Turbo Yeast

Used to ferment sugar up to 14 percent ABV, producing a premium quality alcohol wash / base.

Cat. No.: WA-TURBOYEAST

Tannin Powder, 1 oz.

Adds astringency or zest (flavor and vinosity) to reductive wines. It also aids in the clearing process.

Cat. No.: WATAN-POWDER1OZ

Yeast Nutrient, 1 pound.

Yeast Nutrient is a mixture of diammonium phosphate (DAP) and food-grade urea that nourishes yeast, ensuring that it remains healthy throughout fermentation.

Cat. No.: WA-YEAST NUTRIENT 1LB

Chemicals & Additives... Continued**Yeast D-47, 5 grams.**

Recommended for making wines from white varieties such as Chardonnay and rosé wines. An excellent choice for producing mead, however be sure to supplement with yeast nutrients, especially usable nitrogen. An excellent choice for dry whites, blush wines and residual sugar wines.

Cat. No.: WA-YEAST-D47

Yeast EC-1118, 5 grams.

The EC-1118 strain is recommended for all types of wines, including sparkling, and late harvest wines and cider. It may also be used to restart stuck fermentations. An excellent choice for champagnes and late harvest wines. Also a very good choice for dry whites.

Cat. No.: WA-YEAST-EC-1118

Yeast K1V-1116, 5 grams.

The K1V-1116 strain tends to express the freshness of white grape varieties such as Sauvignon Blanc, Chenin Blanc and Seyval. The natural fresh fruit aromas are retained longer than with other standard yeast strains. Fruit wines and wines made from concentrates poor in nutrient balance benefit from the capacity of K1V-1116 to adapt to difficult fermentation conditions. Restarts stuck fermentations. Highly recommended for dry whites, aged reds, and late harvest wines.

Cat. No.: WA-YEAST-K1-V1116

Yeast RC-212, 5 grams.

RC 212 is recommended for red varieties where full extraction is desired. Lighter red varieties also benefit from the improved extraction while color stability is maintained throughout fermentation and aging. Aromas of ripe berry and fruit are emphasized while respecting pepper and spicy notes. An excellent choice for both young & aged red wines.

Cat. No.: WA-YEAST-RC212

Yeast 71B-1122, 5 grams.

The 71B-1122 is used primarily for young wines such as *vin nouveau* and has been found to be very suitable for ice wine, blush and residual sugar whites.

Cat. No.: WA-YEAST-71B-1122

Cappers

Crown Cappers (Manual)

Grifo Manual Crown Capper, Model TCSG

- Comes standard with bells for Ø 26 and Ø 29 caps
- Heavy duty capping machine with die-cast aluminum body
- Very durable
- For professional use
- Adjustable height

Cat. No.: EQP83CAP-TCSG-MANUAL



Corkers

Grifo Painted Metal Floor Corker With Brass Jaws, Model TG

Cat. No.: EQP83-WECORKER_HAND_GRIFO

The structure is a tripod made of enameled steel, making the product very sturdy. Thanks to the spring plate, which automatically adapts the corker to the bottle, it is suitable for corking a wide variety of bottles. The sturdy jaws are made from brass. The high-quality materials used for the components ensure reliability and durability.



Corks

Note on cork sizes.

#8 and #9 corks refer to the diameter of the cork.

#9 corks have a diameter between 23.5 mm and 24 mm.

#8 corks have a diameter between 22 mm and 23 mm.

Natural Corks- are made from a solid piece of cork.

Amorim Acquamark Natural Cork (Colmated)

Body Dimensions: (Ø x H): 24 mm x 45 mm

#9 Cork Size



Cat. No.: CK32-AQUA50

Cat. No.: CK32-AQUA
Quantity 1000

Agglomerated Corks- Agglomerated corks are made from cork granules that are held together by a special cork epoxy. 1+1 Agglomerated consists of the body being made from cork granules and both discs or ends being made of all natural cork.

Amorim Twin Top B BWC Stopper (1+1 Agglomerated)

Body Dimensions: (Ø x H): 23.5 mm x 44 mm

#9 Cork Size



Cat. No.: CK32-TWINTOP50
Quantity 50

Cat. No.: CK32-TWINTOP
Quantity 1000

Agglomerated Cork With Grape Logo From JPS Cork Group

Body Dimensions: (Ø x H): 23.7 mm x 44 mm

#9 Cork Size

Cat. No.: CK37GRAPE-AGGLO50
Quantity 50

Cat. No.: CK37GRAPE-AGGLO
Quantity 1000



Corks

Synthetic Corks- are made from polymer resins.

G3 Synthetic Cork

Sold in Bags Of 1,000 Corks.

Size (22.5 mm x 44 mm), Woodgrain With Grape Logo

#8 Cork Size

Cat. No.: CK-G3 SYN50

Quantity 50

Cat. No.: CK-G3 SYN1000

Quantity 1000

**Black Plastic T-Top Cork With Natural Cork Body From Lafitte**

Head Dimensions:

(Ø x H): 29 x 9 mm

Body Dimensions:

(Ø x H): 19.6 x 20 mm

Cat. No. CK34-BARNAT-BK-50

Quantity 50

**Black Plastic T-Top Cork With Agglomerated Cork Body From Lafitte**

Head Dimensions:

(Ø x H): 29 x 9 mm

Body Dimensions:

(Ø x H): 19.6 x 20 mm

Cat. No. CK34-BARMICRO-BK-50

Quantity 50

**Champagne Wires, 100 Count Bag**

Cat. No.: ACC-CHAMP-WIRES-100CT

Wire hoods for securing plastic stoppers on Champagne bottles.

**Crown Caps (Red), 29mm, Each**

Cat. No.: CAPRD-29MMPRY



Corks

#9 TAPERED CORK

Cat. No. CK-TPR9-750ML

Fits a 750ml wine bottle.



#14 TAPERED CORK

Cat. No. CK-TPR14

Fits a 5 liter Magnum bottle.



#16 TAPERED CORK.

Cat. No. CK-TPR16

Fits 3, 6, and 6 gallon carboys.



#18 TAPERED CORK.

Cat. No. CK-TPR18

Fits a 25 gallon barrel.



#28 TAPERED CORK.

Cat. No. CK-TPR28BAR

Fits a 53 and 59 gallon barrel.




Fermentation Tubs-Red Plastic

Tubs for the wine cellar, made of HDPE (High density polyethylene), in burgundy color. It is recommended to wash thoroughly before use.

Description	Size	Dim. mm	Weight	Cat. No.
Red Plastic Fermentation Tub With Out Lid	110 Liter	ø 800 x H 300	4 kg	EQPFERMRD-TUB110L
Red Plastic Fermentation Tub With Out Lid	225 Liter	ø 860 x H 550	6 kg	EQPFERMRD-TUB225L
Red Plastic Fermentation Tub With Out Lid	300 Liter	ø 910 x H 880	7.8 kg	EQPFERMRD-TUB300L
Red Plastic Fermentation Tub With Out Lid	350 Liter	ø 950 x H 3710	8.8 kg	EQPFERMRD-TUB350L
Red Plastic Fermentation Tub With Out Lid	500 Liter	ø 1040 x H 815	11.2 kg	EQPFERMRD-TUB500L
Red Plastic Fermentation Tub With Out Lid	700 Liter	ø 1150 x H 895	17.6 kg	EQPFERMRD-TUB700L
Red Plastic Fermentation Tub With Out Lid	1000 Liter	ø 1340 x H 950	28 kg	EQPFERMWHT-TUB100L

**Dimensions For Fermentation Tubs**

Capacity lt.	Weight kg.	A (mm)	B (mm)	C (mm)	D (mm)	H (mm)
110	4	800	730	95	680	300
225	6	860	790	115	675	550
350	8.8	940	870	125	720	710
500	11.2	1045	970	80	840	815
700	17.6	1160	1095	95	940	895
1000	28	1340	1240	175	1110	950



Fermentation Tub Options & Accessories

Lids For Fermentation Tub

Made of HDPE (High density polyethylene), in burgundy color. It is recommended to wash thoroughly before use.

LID FOR RED FERMENTATION TUB 300 LITER

- Diameter (External): 770 mm
- Diameter (Internal): 765 mm
- Edge Height: 25mm
- Weight: 1.20 kg

Cat. No.: EQPFERMRD-LID300

LID FOR RED FERMENTATION TUB 500 LITER

- Diameter (External): 1,060 mm
- Diameter (Internal): 1,050 mm
- Edge Height: 40mm
- Weight: 3.5 kg

Cat. No.: EQPFERMRD-LID500



LID FOR RED FERMENTATION TUB 700 LITER

- Diameter (External): 1,175 mm
- Diameter (Internal): 1,165 mm
- Edge Height: 35 mm
- Weight: 4.5 kg


Cat. No.: EQPFERMRD-LID700

Screen For Fermentation Tub

Made of PP (Polypropylene) to retain stems and grape marc during racking.

Applied with a interlocking system to 1" taps.

Cat. No.: EQPFERMRD-SCREEN



Plastic Spigot, 1" Tap For Fermentation Tub

Made of PP (Polypropylene) with a nut and gasket to fix to the tub.

Cat. No.: EQPFERMRD-SPIGOTPLASTICTAP1



Fermentation Tubs-White Plastic

White Plastic Fermentation Tub (50 Liter) WITHOUT Lid
Cat. No.: EQPFERWHT-TUB50L

White Plastic Fermentation Tub 100 Liter) WITHOUT Lid
Cat. No.: EQPFERWHT-TUB100L



Lid For White Plastic Fermentation Tub (50 Liter)
Cat. No.: EQPFERWHT-LID50

Lid For White Plastic Fermentation Tub (100 Liter)
Cat. No.: EQPFERWHT-LID100



Plastic Barrels (FUSTINO A BOTTICELLA) -White

A practical and sturdy small barrel, made of HDPE (High density Polyethylene), in neutral-white color, with red cap and tap made of PP (Polypropylene). Suitable for food contact. It is recommended to wash thoroughly before use.

White Plastic Barrel (50 Liter)

- Diameter: Ø 390 mm
- Diameter (Internal): Ø 110 mm
- Height: 560 mm
- Weight: 2.2 kg

Cat. No.: EQPFERWHT-BAR50L

White Plastic Barrel (100 Liter)

- Diameter: Ø 490 mm
- Diameter (Internal): Ø 110 mm
- Height: 710 mm
- Weight: 3.6 kg

Cat. No.: EQPFERWHT-BAR100L



Filters-20x20 cm

Sizing A Filter -Generally each 20x20 cm filter pad will filter between 10 to 15 gallons of wine before needing to be changed. A 10 plate, 20x20 cm filter will run between 100 and 150 gallons depending on the wine before you need to change the pads.

Grifo Hobby Wine Filters**Grifo Hobby 6 Plate Filter With Pump, 20x20 cm**

- 0.2 Square Meter Surface
- 6 Plates
- Dimensions: 420mm x 300mm x 340mm (h)
- Weight: 16kg
- Production 60 to 200 Liters Per Hour
- 20 x20 Size Plate Filters
- 0.5 Hp Motor
- 110 Volt, 60 Hz

Cat. No.: EQP83-WEFILTERHOBBY6

**Grifo Hobby 10 Plate Filter With Pump, 20x20 cm**

- 0.4 Square Meter Surface
- 10 Plates
- Dimensions: 590mm x 300mm x 340mm (h)
- Weight: 21kg
- Production 120 to 300 Liters Per Hour
- 20 x20 Size Plate Filters
- 0.5 Hp Motor
- 110 Volt, 60 Hz

Cat. No.: EQP83-WEFILTERHOBBY10



Filters-20x20 cm

Zambelli Model "FZ20", 20 Plate Filter, Stainless Steel, 20x20 cm, Model "PE" Stainless Steel Pump With Bypass, 1 1/2" Tri-clamp Connection On Pump, Pump Fittings **NOT** Included

- 0.8 Square Meter Surface
- 20 Plates
- Dimensions: 500mm x 700mm x 650mm
- Weight: 38kg
- Pump PE, **0.5 hp Motor, 220 Volt, 60HZ, Single Phase**
- Production 600 Liters Per Hour
- Made from AISI 304 Stainless Steel
- Plates made of non-toxic Polyethylene

Cat. No.: EQP85FILTER-FZ20



FZ20 + PE



Included Bypass (Pictured)

Included with Male ROSI Plug.

Does NOT include fittings: two 1-1/2" Tri clamps, two 1-1/2" Black Buna Gaskets, and two 3/4" Hose Barb x 1-1/2" Tri clamp.




Filters-20x20 cm

Zambelli Model "FZ30", 30 Plate Filter, Stainless Steel, 20x20 cm, Model "PE" Stainless Steel Pump With Bypass, 1 1/2" Tri-clamp Connection On Pump, Pump Fittings **NOT** Included, **WITH OPTIONAL DOUBLE FILTRATION KIT**

- 1.2 Square Meter Surface
- 30 Plates
- Dimensions: 500mm x 850mm x 650mm
- Weight: 49kg
- Pump PE, **0.5 hp Motor, 220 Volt, 60HZ, Single Phase**
- Production 900 Liters Per Hour
- Made from AISI 304 Stainless Steel
- Plates made of non-toxic Polyethylene
- Double Filtration Kit (Stainless Steel Middle Plate With 2 End Plates)

Cat. No.: EQP85FILTER-FZ30



Pictured With Optional Plate For Double Filtration

Included with Male ROSI Plug.

Does NOT include fittings: two 1-1/2" Tri clamps, two 1-1/2" Black Buna Gaskets, and two 3/4" Hose Barb x 1-1/2" Tri clamp.




Filters-20x20 cm - Options

Double Filtration Kit (Stainless Steel Middle Plate With 2 End Plates)

Cat. No.: EQP85FILTERPRT-DBLFIL20X20

Note: An optional double filtration kit can be added to any Zambelli 20x20 filter. Please see the manual for the configuration and installation.



Filter Sheets, 20x20 cm (8"x8")

Model	Cat. No.:	Application
XE675	EQPFILTERPD-XE675/20X20/25CT	Sterilizing
XE280	EQPFILTERPD-XE280/20X20/25CT	Fine Clarifying
XE90	EQPFILTERPD-XE90/20X20/25CT	Medium Clarifying
XE50	EQPFILTERPD-XE50/20X20/25CT	Coarse Clarifying




Typical particle retention values of XE Model in Microns (um)			
Model	MIN	RANGE	MAX
XE 675	0.4	0.2	0.6
XE 280	0.5	1	1.5
XE 90	4	5	9
XE 50	6	9	15

Grifo Fruit Crushers (Stand Type)

Grifo Large Hand Powered Fruit Crusher With Stainless Steel Hopper- Model PIG

- Hopper size: 950x600 mm
- Nylon rollers
- Stainless Steel Knives
- Stainless Steel Hopper
- Hourly production: 300 to 500 kg
- Weight: 26kg

Cat. No.: EQP83FC-PIG



Grifo Fruit Crushers (Stand Type)

Grifo Motorized Fruit Crusher With Stainless Steel Hopper- Model PIGMO-110 Volt

- Hopper size: 950x600 mm
- Stainless Steel Knives
- Nylon rollers
- Stainless Steel Hopper
- Electric Motor, 110 volt, 1 hp
- Hourly production: 1500 kg
- Weight: 35 kg

Cat. No.: EQP83FC-PIGMO



Grifo Grape Crushers (Stand Type)

Grifo Large Hand Powered Grape Crusher With Stainless Steel Hopper-Model PGI

- Hopper size: 950x600 mm
- Nylon rollers 280 mm
- Stainless Steel Hopper
- Hourly production: 500/800 kg
- Weight: 26 kg

Cat. No.: EQP83GC-PGI



Grape Crusher (Stand Type) - GRIFO

Grifo Large Motorized Grape Crusher With Stainless Steel Hopper- Model PMI

- Hopper size: 950x600 mm
- Nylon rollers 280 mm
- Stainless Steel Hopper
- Electric Motor, 110 volt, 1 hp
- Hourly production: 1500 kg
- Weight: 35 kg

Cat. No.: EQP83GC-PMI




Grifo Grape Crushers / Grape Destemmer (Stand Type)

Grifo Hand Powered Grape Crusher/Grape Destemmer With Painted Steel Hopper And Painted Steel Body- Model DMA

- Hopper size: 900x500 mm
- Nylon Rollers 220 mm
- Painted Steel Hopper
- Hourly production: 700/800 kg
- Weight: 39 kg

Cat. No.: EQP83GCD-DMA



Grifo Grape Crushers / Grape Destemmer (Stand Type)

Grifo Hand Powered Grape Crusher/Grape Destemmer With Stainless Steel Hopper And Painted Steel Body- Model DMA SI

- Hopper size: 900x500 mm
- Nylon Rollers 220 mm
- Painted Steel Hopper
- Hourly production: 700/800 kg
- Weight: 39 kg

Cat. No.:

Same style as the DMA only with a stainless steel hopper and painted steel body.

Grifo Grape Crushers / Grape Destemmer (Stand Type)

Grifo Hand Powered Grape Crusher/Grape Destemmer With Stainless Steel Hopper & Stainless Steel Body- Model DMAI

- Hopper size: 900x500 mm
- Nylon Rollers 220 mm
- Stainless Steel Hopper
- Hourly production: 700/800 kg
- Weight: 39 kg

Cat. No.: EQP83GCD-DMAI




Grifo Grape Crushers / Grape Destemmer (Stand Type)

Grifo Motorized Grape Crusher / Grape Destemmer With Painted Steel Hopper And Painted Steel Body- Model DMC

- Hopper size: 900x500 mm
- Nylon Rollers 220 mm
- Painted Steel Hopper & Body
- Electric Motor, 110 volt, 1 hp
- Hourly production: 1500 kg
- Weight: 54 kg

Cat. No.: EQP83GCD-DMC




Grifo Grape Crushers / Grape Destemmer (Stand Type)

Grifo Semi Stainless Steel Metal Motorized Grape Crusher/De-Stemmer With Stainless Steel Hopper And Painted Steel Body- Model DMCSI

- Hopper size: 900x500 mm
- Nylon Rollers 220 mm
- 110 Volt, 1 hp motor
- Hourly production 1500 kg
- Weight: 54 kg

Cat. No.: EQP83-WEGCD_DMCSI



Grifo Grape Crushers / Grape Destemmer (Stand Type)

Grifo ALL Stainless Steel Metal Motor Powered Grape Crusher/De-Stemmer With Stainless Steel Hopper And Stainless Steel Body- Model DMCI

- Hopper size: 900x500 mm
- Nylon Rollers 220 mm
- 110 Volt, 1 hp motor
- Hourly production 1500 kg
- Weight: 54 kg

Cat. No.: EQP83-WEGCD_DMCI



Grifo Grape Crusher / Grape Destemmer- Accessories

Painted Metal Stand For Grape Crusher / Grape Destemmer

Cat. No.: EQP83-WEGCDA_PMSTAND_CAV



Stainless Steel Metal Stand For Grape Crusher / Grape Destemmer

Cat. No.: EQP83-WEGCDA_SSSTAND_CAVI



Presses

Manual “Eggplant” Press

- Stainless Steel Container And Filter
- Diameter: 14 cm (5.51”)
- Height: 32.5 cm (12.79”)
- Liters: 3
- Weight: 3 kg (6.61 lbs)

Cat. No.: EQP86PRESS-ALU14

Used to prepare food for pickling in oil or vinegar, to press raw meat for carpaccio or to make lard. Use this press to squeeze fruit, in order to obtain juices for liqueurs.



Zambelli Manual Wooden Ratchet Press With Painted Metal Basin



- Painted Steel Basin
- With Wooden Half Moons And Wooden Heels
- Wooden Cage
- Welded Steel Blade Connects Cage Rings To Prevent Cage Deformation

Model	Cage Diameter (cm)	Cage Capacity (Liters)	Cat. No.	Total Height (mm)	Weight (kg)
30	30	28	EQP85PRESS-RATCH-30	1000	33
35	40	43	EQP85PRESS-RATCH-35	1200	44
40	40	69	EQP85PRESS-RATCH-40	1330	65
45	45	96	EQP85PRESS-RATCH-45	1460	80
50	50	128	EQP85PRESS-RATCH-50	1530	111
55	55	166	EQP85PRESS-RATCH-55	1790	145



Water Presses

The water press enables very high yields in the extraction of juice from apples, grapes, and fruit. The press uses a bladder that creates uniform pressure towards the outer cage of the press throughout it's whole length.



Model	Cage Capacity Liters	Cage Dimension Ø D x E mm.	Dimensions A x B mm.	C mm.	Weight kg	Working Pressure
Hydro 40	40	340x480	650x980	350	20	4
Hydro 80	80	420x580	700x1150	400	36	3

Water Press**Zambelli Water Press (Bladder) With Aluminum Cage And Painted Metal Basin**

Model Name	Cat. No.:	Cage Dimension mm	Cage Capacity Liters	Overall Dimensions mm	Weight kg
Hydro 40	EQP85PRESS-HYDRO40	340 x 480	40	650 x 980	20
Hydro 80	EQP85PRESS-HYDRO80	420 x 580	80	700 x 1150	36




MARCHISIO Stainless Steel Tanks**Marchisio Variable Capacity Tanks, Pneumatic Floater, Flat Bottom, Stand, Model SPA, Stainless Steel (AISI 304)****Models SPA100B (100 liter, short style)- TANK WITH SPIGOT, NO STAND****Tank Pricing Includes:**


- Variable Capacity
- Flat Bottom
- Floating Lid Kit (floating lid, gasket (seal), plastic security valve, stainless steel hand pump with gauge)
- Partial drain with ½" spigot
- Stainless steel grade AISI304

Cat. No.: SSTSPA0100BSPIGNSI

Cat. No	Capacity L.	Ø mm	h mm	F mm	V mm	Spigot	Capacity Gal.
SSTSPA0100BSPIGNSI	100 Liters (Shorter Style)	500	600	1	0.7	½"	26

**Tank Diagram****Complete With:**

- 1 Pneumatic floater (floating lid)
- 2 Gasket (seal)
- 3 Plastic security valve
- 4 Stainless steel hand pump with gauge
- 5 Partial drain with spigot

**Note: Add approximately 15" for the height of the stand.****MARCHISIO STAINLESS STEEL TANK STAND BI50, Ø 500mm****Cat. No.: MSSTANKSTANDBI50**

MARCHISIO Stainless Steel Tanks

Marchisio Variable Capacity Tanks, Pneumatic Floater, Flat Bottom, Stand, Model SPA, Stainless Steel (AISI 304)


Model SPA150 (100 liter, short style)- TANK WITH SPIGOT, NO STAND

Tank Pricing Includes:

- Variable Capacity
- Flat Bottom
- Floating Lid Kit (floating lid, gasket (seal), plastic security valve, stainless steel hand pump with gauge)
- Partial drain with ½" spigot
- Stainless steel grade AISI304

Cat. No.: SSTSPA0150SPIGNSI

Cat. No	Capacity Liters	Ø mm	h mm	F mm	V mm	Spigot	Capacity Gal.
SSTSPA0150SPIGNSI	150 Liters	500	900	1	0.7	½"	39.6

**Tank Diagram**

Complete With:


- 1 Pneumatic floater (floating lid)
- 2 Gasket (seal)
- 3 Plastic security valve
- 4 Stainless steel hand pump with gauge
- 5 Partial drain with spigot



Note: Add approximately 15" for the height of the stand.

MARCHISIO STAINLESS STEEL TANK STAND BI50, Ø 500mm

Cat. No.: MSSTANKSTANDBI50



MARCHISIO Stainless Steel Tanks

Marchisio Variable Capacity Tanks, Pneumatic Floater, Flat Bottom, Stand, Model SPA, Stainless Steel (AISI 304)


Models SPA200B (200 liter, short style)- TANK WITH SPIGOT, NO STAND

Tank Pricing Includes:

- Variable Capacity
- Flat Bottom
- Floating Lid Kit (floating lid, gasket (seal), plastic security valve, stainless steel hand pump with gauge)
- Partial drain with 3/4" spigot
- Stainless steel grade AISI304

Cat. No.: SSTSPA0200BSPIGNSI

Cat. No	Capacity L.	Ø mm	h mm	F mm	V mm	Spigot	Capacity Gal.
SSTSPA0200BSPIGNSI	200 Liters (Shorter Style)	650	650	1	0.7	3/4"	52

**Tank Diagram**

Complete With:


- 1 Pneumatic floater (floating lid)
- 2 Gasket (seal)
- 3 Plastic security valve
- 4 Stainless steel hand pump with gauge
- 5 Partial drain with spigot



Note: Add approximately 15" for the height of the stand.

MARCHISIO STAINLESS STEEL TANK STAND BI65, Ø 650mm

Cat. No.: MSSTANKSTANDBI65




MARCHISIO Stainless Steel Tanks**Marchisio Variable Capacity Tanks, Pneumatic Floater, Flat Bottom, Stand, Model SPA, Stainless Steel (AISI 304)****Model SPA250 (250 liter)- TANK WITH SPIGOT, NO STAND****Tank Pricing Includes:**

- Variable Capacity
- Flat Bottom
- Floating Lid Kit (floating lid, gasket (seal), plastic security valve, stainless steel hand pump with gauge)
- Partial drain with 3/4" spigot
- Stainless steel grade AISI304

Cat. No.: SSTSPA0250SPIGNSI


Cat. No	Capacity Liters	Ø mm	h mm	F mm	V mm	Spigot	Capacity Gal.
SSTSPA0250SPIGNSI	250 Liters	650	850	1	0.7	3/4"	66

**Tank Diagram****Complete With:**

- 1 Pneumatic floater (floating lid)
- 2 Gasket (seal)
- 3 Plastic security valve
- 4 Stainless steel hand pump with gauge
- 5 Partial drain with spigot



Note: Add approximately 15" for the height of the stand.

MARCHISIO STAINLESS STEEL TANK STAND BI65, Ø 650mm**Cat. No.: MSSTANKSTANDBI65**

MARCHISIO Stainless Steel Tanks

Marchisio Variable Capacity Tanks, Pneumatic Floater, Flat Bottom, Stand, Model SPA, Stainless Steel (AISI 304)


Models SPA300 (300 liter)- TANK WITH SPIGOT, NO STAND

Tank Pricing Includes:

- Variable Capacity
- Flat Bottom
- Floating Lid Kit (floating lid, gasket (seal), plastic security valve, stainless steel hand pump with gauge)
- Partial drain with 3/4" spigot
- Stainless steel grade AISI304

Cat. No.: SSTSPA0300SPIGNSI

Cat. No	Capacity L.	Ø mm	h mm	F mm	V mm	Spigot	Capacity Gal.
SSTSPA0300SPIGNSI	300 Liters	650	1000	1	0.7	3/4"	79

**Tank Diagram**

Complete With:


- 1 Pneumatic floater (floating lid)
- 2 Gasket (seal)
- 3 Plastic security valve
- 4 Stainless steel hand pump with gauge
- 5 Partial drain with spigot



Note: Add approximately 15" for the height of the stand.

MARCHISIO STAINLESS STEEL TANK STAND BI65, Ø 650mm

Cat. No.: MSSTANKSTANDBI65



MARCHISIO Stainless Steel Tanks


Marchisio Variable Capacity Tanks, Pneumatic Floater, Flat Bottom, Stand, Model SPA, Stainless Steel (AISI 304)
 Model SPA400B (400 liter, short style)- TANK WITH VALVE, NO STAND

Tank Pricing Includes:

- Variable Capacity
- Flat Bottom
- Floating Lid Kit (floating lid, gasket (seal), plastic security valve, stainless steel hand pump with gauge)
- Partial drain with 1½" tri-clamp butterfly valve (includes clamp and gasket)
- Stainless steel grade AISI304

Cat. No.: SSTSPA0400BTRINSI

Cat. No	Capacity Liters	Ø mm	h mm	F mm	V mm	Valve	Capacity Gal.
SSTSPA0400BTRINSI	400 Liters	800	900	1	0.7	1½" Tri-clamp But.	105

**Tank Diagram**

Complete With:


- 1 Pneumatic floater (floating lid)
- 2 Gasket (seal)
- 3 Plastic security valve
- 4 Stainless steel hand pump with gauge
- 5 Partial drain with 1½" tri-clamp butterfly valve, clamp, & gasket



Note: Add approximately 15" for the height of the stand.

MARCHISIO STAINLESS STEEL TANK STAND BI80, Ø 800mm

Cat. No.: MSSTANKSTANDBI80



MARCHISIO Stainless Steel Tanks

Marchisio Variable Capacity Tanks, Pneumatic Floater, Flat Bottom, Stand, Model SPA, Stainless Steel (AISI 304)


Model SPA500 (500 liter)- TANK WITH VALVE, NO STAND

Tank Pricing Includes:

- Variable Capacity
- Flat Bottom
- Floating Lid Kit (floating lid, gasket (seal), plastic security valve, stainless steel hand pump with gauge)
- Partial drain with 1½" tri-clamp butterfly valve (includes clamp and gasket)
- Stainless steel grade AISI304

Cat. No.: SSTSPA0500TRINSI

Cat. No	Capacity Liters	Ø mm	h mm	F mm	V mm	Valve	Capacity Gal.
SSTSPA0500TRINSI	500 Liters	800	1100	1	0.7	1½" Tri-clamp But.	132

**Tank Diagram**

Complete With:


- 1 Pneumatic floater (floating lid)
- 2 Gasket (seal)
- 3 Plastic security valve
- 4 Stainless steel hand pump with gauge
- 5 Partial drain with 1½" tri-clamp butterfly valve, clamp, & gasket



Note: Add approximately 15" for the height of

MARCHISIO STAINLESS STEEL TANK STAND BI80, Ø 800mm

Cat. No.: MSSTANKSTANDBI80



MARCHISIO Stainless Steel Tanks


Marchisio Variable Capacity Tanks, Pneumatic Floater, Flat Bottom, Stand, Model SPA, Stainless Steel (AISI 304)
Model SPA600 (600 liter)- TANK WITH VALVE, NO STAND

Tank Pricing Includes:

- Variable Capacity
- Flat Bottom
- Floating Lid Kit (floating lid, gasket (seal), plastic security valve, stainless steel hand pump with gauge)
- Partial drain with 1½" tri-clamp butterfly valve (includes clamp and gasket)
- Stainless steel grade AISI304

Cat. No.: SSTSPA0600TRINSI

Cat. No	Capacity Liters	Ø mm	h mm	F mm	V mm	Valve	Capacity Gal.
SSTSPA0600TRINSI	600 Liters	800	1300	1	0.8	1½" Tri-clamp But.	158

**Tank Diagram**

Complete With:


- 1 Pneumatic floater (floating lid)
- 2 Gasket (seal)
- 3 Plastic security valve
- 4 Stainless steel hand pump with gauge
- 5 Partial drain with 1½" tri-clamp butterfly valve, clamp, & gasket



Note: Add approximately 15" for the height of the stand.

MARCHISIO STAINLESS STEEL TANK STAND B180, Ø 800mm

Cat. No.: MSSTANKSTANDBI80



MARCHISIO Stainless Steel Tanks

Marchisio Variable Capacity Tanks, Pneumatic Floater, Flat Bottom, Stand, Model SPA, Stainless Steel (AISI 304)


Model SPA700 (700 liter)- TANK WITH VALVE, NO STAND

Tank Pricing Includes:

- Variable Capacity
- Flat Bottom
- Floating Lid Kit (floating lid, gasket (seal), plastic security valve, stainless steel hand pump with gauge)
- Partial drain with 1½" tri-clamp butterfly valve (includes clamp and gasket)
- Stainless steel grade AISI304

Cat. No.: SSTSPA0700TRINSI

Cat. No	Capacity Liters	Ø mm	h mm	F mm	V mm	Valve	Capacity Gal.
SSTSPA0700TRINSI	700 Liters	800	1500	1	0.8	1½" Tri-clamp But.	185

**Tank Diagram**

Complete With:


- 1 Pneumatic floater (floating lid)
- 2 Gasket (seal)
- 3 Plastic security valve
- 4 Stainless steel hand pump with gauge
- 5 Partial drain with 1½" tri-clamp butterfly valve, clamp, & gasket



Note: Add approximately 15" for the height of the stand.

MARCHISIO STAINLESS STEEL TANK STAND BI80, Ø 800mm

Cat. No.: MSSTANKSTANDBI80



MARCHISIO Stainless Steel Tanks

Marchisio Variable Capacity Tanks, Pneumatic Floater, Flat Bottom, Stand, Model SPA, Stainless Steel (AISI 304)


Model SPA750 (750 liter)- TANK WITH VALVE, NO STAND

Tank Pricing Includes:

- Variable Capacity
- Flat Bottom
- Floating Lid Kit (floating lid, gasket (seal), plastic security valve, stainless steel hand pump with gauge)
- Partial drain with 1½" tri-clamp butterfly valve (includes clamp and gasket)
- Stainless steel grade AISI304

Cat. No.: SSTSPA0750TRINSI

Cat. No	Capacity Liters	Ø mm	h mm	F mm	V mm	Valve	Capacity Gal.
SSTSPA0750TRINSI	750 Liters	1000	1000	1.2	0.8	1½" Tri-clamp But.	198

**Tank Diagram**

Complete With:


- 1 Pneumatic floater (floating lid)
- 2 Gasket (seal)
- 3 Plastic security valve
- 4 Stainless steel hand pump with gauge
- 5 Partial drain with 1½" tri-clamp butterfly valve, clamp, & gasket



Note: Add approximately 15" for the height of the stand.

MARCHISIO STAINLESS STEEL TANK STAND BI100, Ø 1000mm

Cat. No.: MSSTANKSTANDBI100



MARCHISIO Stainless Steel Tanks

Marchisio Variable Capacity Tanks, Pneumatic Floater, Flat Bottom, Stand, Model SPA, Stainless Steel (AISI 304)


Model SPA1000 (1,000 liter)- TANK WITH VALVE, NO STAND

Tank Pricing Includes:

- Variable Capacity
- Flat Bottom
- Floating Lid Kit (floating lid, gasket (seal), plastic security valve, stainless steel hand pump with gauge)
- Partial drain with 1½" tri-clamp butterfly valve (includes clamp and gasket)
- Stainless steel grade AISI304

Cat. No.: SSTSPA1000TRINSI

Cat. No	Capacity Liters	Ø mm	h mm	F mm	V mm	Valve	Capacity Gal.
SSTSPA1000TRINSI	1000 Liters	1000	1300	1.2	0.8	1½" Tri-clamp But.	263

**Tank Diagram**

Complete With:


- 1 Pneumatic floater (floating lid)
- 2 Gasket (seal)
- 3 Plastic security valve
- 4 Stainless steel hand pump with gauge
- 5 Partial drain with 1½" tri-clamp butterfly valve, clamp, & gasket



Note: Add approximately 15" for the height of the stand.

MARCHISIO STAINLESS STEEL TANK STAND BI100, Ø 1000mm

Cat. No.: MSSTANKSTANDBI100



Stainless Steel Tanks**ALGOR Stainless Steel Tanks****Algor 420 Liter Variable Capacity Tank, Flat Bottom. TANK ONLY, NO STAND, NO VALVE****Model FPP420 (420 liter / 110 gallons, Diameter: 750mm, Height: 1,000mm (Excluding Stand))****Tank Pricing Includes:**

- Variable Capacity
- Flat Bottom
- Floating Lid Kit (floating lid, gasket (seal), plastic security valve, stainless steel hand pump with gauge)
- 1½" tri-clamp fitting for outlet welded to the body of the tank
- Stainless steel grade AISI304


Cat. No.: FPP420TRIVNI**Tank pictured with plastic valve.****WHILE SUPPLIES LAST.****IMPORTANT NOTE: PRICING ONLY VALID FOR TANKS CURRENTLY IN STOCK.****Stainless steel stand (Diameter 750mm)****Cat. No.: SSSTAND750MM****WHILE SUPPLIES LAST.****1-½" Stainless Steel Tri-Clamp Butterfly Valve With S.S. Handle****Cat. No.: TRIBUTVAL1.5****1-½" Tri-Clamp****Cat. No.: TRICLAMP1.5****1 ½" Black Buna Gasket****Cat. No.: TRIGASKET1.5**

Tomato Processor

Reber Tomato Processor N. 5 - Model 9103 N Compact table top model, with 0.40 hp motor, 110 volt, 60 Hz, gear reduction drive, cast iron body and auger with a food grade baked epoxy finish. The tomato bowl is aluminum with a nylon tomato pusher.
Cat. No.: EQP84-WETOMPROCN5_9103 N




ADAPTOR-REBER TOMATO PROCESSOR MODEL N-5 FOR GRATED CHEESE, CODE: 8900 N
Cat. No.: EQP84-WETOMPROCN5CHEESEAD



ADAPTOR-REBER TOMATO PROCESSOR MODEL N-5 FOR MEAT/SAUSAGE, CAST IRON, CODE: 8811 N
Cat. No.: EQP84-WETOMPROCN5MEATAD



ADAPTOR-REBER TOMATO PROCESSOR MODEL N-5 FOR PASTA PRESS, CODE: 8400 N
Cat. No.: EQP84-WETOMPROCN5PASTAAD



**Gino Pinto LLC
2026
HOME WINEMAKING CATALOG
PARTS FOR EQUIPMENT
AND
STAINLESS STEEL TANKS**



Marchisio Stainless Steel Tanks-Replacement Parts

Marchisio Stainless Steel Hand Pump With Gauge & Hook

Cat. No.: EQP86TANKPRT-MSSTANKHANDPUMP



Note: The hand pump is interchangeable with Sansone, TM Inox, and Algor tanks with a hook.


Pressure Gauge For Marchisio Hand Pump

Cat. No.: EQPTANKPRT-M_HANDPUMP_GAUGE




Brass Knob For Marchisio Hand Pump

Cat. No.: EQP86TANKPRT-HANDPUMP_KNOB




Worm Clamp For Marchisio Hand Pump, Diameter 11mm to 16mm


Cat. No.: EQP86TANKPRT-WCLAMP-11-16




Ø 11mm to 16mm


Marchisio Stainless Steel Tanks-Replacement Parts

Replacement O-Ring For Marchisio Stainless Steel Hand Pump With Gauge & Hook, Position 6, Ø 18.6X3.53mm
Cat. No.: EQP86TANKPRT-ORING-POS6-18.6X3.53



Replacement O-Ring For Marchisio Stainless Steel Hand Pump With Gauge & Hook, Position 17, Ø 22X2.65mm
Cat. No.: EQP86TANKPRT-ORING-POS17-22X2.65



Marchisio Stainless Steel Tanks-Replacement Parts

Replacement O-Ring For Marchisio Stainless Steel Hand Pump With Gauge & Hook, Position 15, Ø 5.5x1.8mm
Cat. No.: EQP86TANKPRT-ORING-POS15-5.5X1.8




Replacement O-Ring For Marchisio Stainless Steel Hand Pump With Gauge & Hook, Position 16, Ø 6.5x1.8mm
Cat. No.: EQP86TANKPRT-ORING-POS16-6.5X1.8



Marchisio Stainless Steel Tanks-Replacement Parts

Item	Cat. No.	DN	Weight KG
Chrome Plated Spigot 3/8" G (BSPP)	MSSTANKSPIGOT3/8	3/8"	0.15
Chrome Plated Spigot 1/2" G (BSPP)	MSSTANKSPIGOT1/2	1/2"	0.16
Chrome Plated Spigot 3/4" G (BSPP)	MSSTANKSPIGOT3/4	3/4"	0.24



Note: The thread that screws into the tank is GAS (BSPP).

The outer diameter of the threaded male end is 16.62 mm (0.65") for the 3/8" spigot.

The outer diameter of the threaded male end 20.95 mm (0.82") for the 1/2" spigot.

The outer diameter of the threaded male end is 26.44 mm (1.04") for the 3/4" spigot.

Item	Cat. No.	DN	Weight KG
Stainless Steel Spigot 1" G (BSPP)	MSSTANKSPIGOT1	1"	0.30



Note: The thread that screws into the tank is GAS (BSPP).


The outer diameter of the threaded male end is 31.75mm (1.25") for the 1" spigot.

Stainless Steel Tank Parts

Plastic Air Vent LARGE- (G 1-½")

- 1.8" Outer Thread Diameter
- For Openings 1.8 to 2.25"
- Marble In Airlock

Cat. No.: EQPTANKPRT-PLASTIC-AIRVENT-G1-1/2"




Note: The large airlock fits:

- All Marchisio tank lids.
- TM Inox tank lids.
- Algor tank lids on tank sizes 2,000 liter and greater.
Does not fit smaller size Algor tanks.
- Does not fit Sansone tank lids.

Plastic Air Vent SMALL- (G 1-¼")

- 1.6" Outer Thread Diameter
- For Openings 1.6 to 2.1"
- Marble In Airlock

Cat. No.: EQPTANKPRT-PLASTIC-AIRVENT-G1-1/4"



Note: The small airlock fits:

- All Sansone tank lids.
- Algor tank lids on tank sizes 100, 230, 330, 420, 530, 640, and 1,000 liter.
- This airlock will also fit Marchisio tanks but it needs to be centered in the lid hole.

Clear Flexible Tubing 5/16" Inside Diameter, 5 Foot Length

Cat. No.: ACC-HOSE5/16_5'

Note: This tubing is used to connect the stainless steel hand pump to the gasket for all variable capacity tanks.



MARCHISIO Stainless Steel Tank-Parts

MARCHISIO TANKS-GASKETS

Vinyl Gaskets (Replacement Inflatable Clear Seals For Variable Capacity Tank Lids)

Tank Capacity Liters	Tank Code	Ø nominal mm.	Ø actual mm.	Recommended Gasket	Cat. No.:
30	SPA30	400		Vinyl Gasket 400 mm	EQP86TANKPRT-GASKET0400MM
50	SPA50	400		Vinyl Gasket 400 mm	EQP86TANKPRT-GASKET0400MM
80	SPA80	400		Vinyl Gasket 400 mm	EQP86TANKPRT-GASKET0400MM
100	SPA100A	400		Vinyl Gasket 400 mm	EQP86TANKPRT-GASKET0400MM
				Vinyl Gasket 450 mm	EQP86TANKPRT-GASKET0450MM
100	SPA100B	500		Vinyl Gasket 500 mm	EQP86TANKPRT-GASKET0500MM
150	SPA150	500		Vinyl Gasket 500 mm	EQP86TANKPRT-GASKET0500MM
200	SPA200A	500		Vinyl Gasket 500 mm	EQP86TANKPRT-GASKET0500MM
				Vinyl Gasket 550 mm	EQPTANKPRT-GASKET0550MM
200	SPA200B	650		Vinyl Gasket 650 mm	EQP86TANKPRT-GASKET0650MM
250	SPA250	650		Vinyl Gasket 650 mm	EQP86TANKPRT-GASKET0650MM
300	SPA300	650		Vinyl Gasket 650 mm	EQP86TANKPRT-GASKET0650MM
400	SPA400A	650		Vinyl Gasket 650 mm	EQP86TANKPRT-GASKET0650MM
400	SPA400B	800		Vinyl Gasket 800 mm	EQP86TANKPRT-GASKET0800MM
500	SPA500	800		Vinyl Gasket 800 mm	EQP86TANKPRT-GASKET0800MM
600	SPA600	800		Vinyl Gasket 800 mm	EQP86TANKPRT-GASKET0800MM
700	SPA700	800		Vinyl Gasket 800 mm	EQP86TANKPRT-GASKET0800MM
750	SPA750	1000		Vinyl Gasket 1000 mm	EQP86TANKPRT-GASKET1000MM
1000	SPA1000	1000		Vinyl Gasket 1000 mm	EQP86TANKPRT-GASKET1000MM
1500	SPA1500	1000		Vinyl Gasket 1000 mm	EQP86TANKPRT-GASKET1000MM
2000	SPA2000	1000		Vinyl Gasket 1000 mm	EQP86TANKPRT-GASKET1000MM
2150	SPA2150	1200		Vinyl Gasket 1200 mm	EQP86TANKPRT-GASKET1200MM
4000	SPA4000B	1600		Vinyl Gasket 1600 mm	EQP86TANKPRT-GASKET1600MM
				Vinyl Gasket 1700 mm	EQP86TANKPRT-GASKET1700MM

*Note: Vinyl gaskets can be stretched as much as 50mm. A 450mm gasket will fit a 500mm tank with some work.



MARCHISIO Stainless Steel Tank-Parts

MARCHISIO TANKS-BLACK RUBBER GASKETS

Gasket	Cat. No.
Black Rubber Gasket 500 mm	EQP86TANKPRT-GASKET_BL_R_0500MM
Black Rubber Gasket 650 mm	EQP86TANKPRT-GASKET_BL_R_0650MM
Black Rubber Gasket 800 mm	EQP86TANKPRT-GASKET_BL_R_0800MM
Black Rubber Gasket 1000 mm	EQP86TANKPRT-GASKET_BL_R_1000MM
Black Rubber Gasket 1200 mm	EQP86TANKPRT-GASKET_BL_R_1200MM
Black Rubber Gasket 1400 mm	EQP86TANKPRT-GASKET_BL_R_1400MM
Black Rubber Gasket 1600 mm	EQP86TANKPRT-GASKET_BL_R_1600MM



SANSONE Stainless Steel Tank-Replacement Parts

SANSONE TANKS-GASKETS (SEALS)



Tank Capacity Liters	Tank Code	Ø of gasket in mm. (MARKED ON BAG)	Cat. No.
100	B0100SAL-F	455	EQPTANKPRT-GASKET_0455MM_SANSONE
150	B0150SAL-F	520	EQPTANKPRT-GASKET_0520MM_SANSONE
200	B0200SAL-F	*570- Use a 550	
300	B0300SAL-F	635	EQPTANKPRT-GASKET_0635MM_SANSONE
400	B0400SAL-F	695	EQPTANKPRT-GASKET_0695MM_SANSONE
500	B0500SAL-F	735	EQPTANKPRT-GASKET_0735MM_SANSONE
750	B0750SAL-F	790	EQPTANKPRT-GASKET_0790MM_SANSONE
1000	B01000SAL-F	930	EQPTANKPRT-GASKET_0930MM_SANSONE



* Note: a 550 mm gasket will fit the Sansone 200 Liter tank and can be substituted for a 570 mm gasket.

*NOTE: In April of 2018 Sansone changed the diameter of the lid for the 100 and 200 liter tanks. The new lids are smaller in width than the older lids.

Diameter of 100 liter new lid: 17-3/8"- recommended gasket is the Sansone 455 mm gasket.

Diameter of 100 liter old lid: 17-15/16"- recommended gasket is the MARCHISIO 500 mm gasket.

Diameter of 200 liter new lid: 21-3/4"- recommended gasket is the Sansone 570 mm gasket.

Diameter of 200 liter old lid: 22-3/16"- recommended gasket is the MARCHISIO 600 mm gasket.

In order to receive the right gasket for your particular lid please measure the diameter of the lid.

SANSONE Stainless Steel Tank-Replacement Parts



1/2" Spigot (Rubinetto Salvagoccia)

Cat. No.: EQPTANKPRT-SSTANKSANSONESPIGOT1/2



1" Spigot (Rubinetto Salvagoccia)

Cat. No.: EQPTANKPRT-SSTANKSANSONESPIGOT1



Note: Sansone tanks take the Plastic Air Vent SMALL - (G 1"-1/4).

Metal Insert For Sansone Tank Seal

Cat. No.: EQPTANKPRT-SSTANKSANSONEMISTS



Metal Snap Clip For Sansone Tank Seal

Cat. No.: EQPTANKPRT-SSTANKSANSONETSCLIP



Metal Clip For Sansone Dust Cover

Cat. No.: EQPTANKPRT-SSTANKSANSONEDCCLIP




Zambelli Stainless Steel Bottle Filler, Model "Hobby 3" & "Hobby 5" Parts


Complete Float

Position #11, #4, #2

Cat. No.: EQP85FILLPRT-HOBBY_COMP_FLOAT




POS	DESCRIPTION	Cat. No.
1	Cover (Specify Model-3 or 5 Spout)	
2	Inlet Pipe	
3	Tank (Specify Model-3 or 5 Spout)	
4	Closing Valve	
5	Pipe For Spouts With Caps (Specify Model-3 or 5 Spout)	
6	Spring	
7	Tightener For Springs (Specify Model-3 or 5 Spout)	
8	Bottle Rack For 3 Spout Filler (Code: 1143R00186)	
8	Bottle Rack For 5 Spout Filler (Code: 1143R00187)	
9	Spouts	
10	Cap For Spout	EQP85FILLPRT-HOBBY_CAP_SP
11	Float	
12	Spout Gasket	EQP85FILLPRT-HOBBY_GASKET_SP
13	Drain Tap	
14	Knob	

Position 12
Spout GasketPosition 10
Cap For Spout

Enolmatic Model Bottle Filler Parts

Note: See the next page for pricing on nozzle parts.



O-Ring For Enolmatic Vessel
Float, Position 2.05

Code: 520-0030-020

Cat. No.: ENOL_ORING_VVFLOAT



Gasket For Enolmatic Vessel
Cover, Position 2.01

Code: 520-0051-000

Cat. No.: G.V.COVER_POS.2.01



Complete Vessel Cover
Plus Float for Enolmatic,
Position 4.07

Code: 910-0040-000

Cat. No.: ENOLMATIC_VESSEL COVER



Complete Vacuum Regulator For
Tenco Enolmatic

Code: 910-0046-000

Cat. No.: ENOLMATIC-VAC-REG-COM


Replacement Vacuum Vessel-No Lid
For Enolmatic, Position 4.15

Code: 400-0178-000

Cat. No.: ENOLM_RVV



Enolmatic Model Bottle Filler Parts (Nozzle) -Continued



Complete Plastic Wine Nozzle For
Enolmatic With Bracket & Spring
Code: 910-0051-000
Cat. No.: NOZZ_PLASTIC_C




Note: The Enolmatic nozzle without the
bracket and spring is not available. The
complete nozzle with bracket and spring
must be purchased.

O-Ring, 1.78 x 8.73, Silicone (Red),
For Enolmatic Nozzle, Position 2.02
Code: 520-0052-020
Cat. No.: NZL_ORING_RED_2.02



Red Silicone Cone
For Enolmatic Wine Nozzle,
Position 4.20
Code: 520-0044-000
Cat. No.: R.S.CONE_POS4.20



O-Ring M, 008020, 2 x 8,
Silicone (White), For Enolmatic
Nozzle, Position 2.06
Code: 520-0031-000
Cat. No.: NZL_ORING_WHT_2.06




Pressure Spring For Enolmatic
Wine Nozzle, Position 4.22
Code: 400-0186-000
Cat. No.: NOZZL_SPRING_P.4.22



Black Ring Nut For Enolmatic
Wine Nozzle, Position 4.09
Code: 400-0173-000
Cat. No.: B.R.NUT_POS.4.09



Enolmatic Model Bottle Filler Parts (Motor)-Continued




Pump Head Membrane P15
For Enolmatic Motor
Position 785.022
Code: 500-0199-000
Cat. No.: MEMBRANE_P15_PUMP

Pump Piston Lip Gasket P15
For Enolmatic Motor
Position 048.022M0
Code: 500-0197-000
Cat. No.: GASKET_P-15_PUMP PISTON

P15 Vacuum Pump Silencer With
Fitting For Enolmatic Motor
Code: 500-0206-000
Cat. No.: P15-PUMP-SILENCER



Tandem Filter (For Enolmatic)- Parts



Filter Cap O-Ring Holder
For Enolmatic Tandem
Filter, Position 425
Code: 400-0188-000
Cat. No.: FCORH




Filter Cap Silicon O-Ring 100 x 4
For Enolmatic Tandem Filter,
Position 215
Code: 520-0040-000
Cat. No.: FCSOR



POSITION	CODE	DESCRIPTION
		Tandem Filter-Parts
1023	910-0051-000	Complete Tandem Filter Housing Cover

Grifo Hobby Wine Filter, 6 (Model FCH6) & 10 (Model FCH10) Plate, 20x20 cm, Parts



WHITE INTERIOR PLATE 20X20 FOR GRIFO HOBBY PLATE FILTER

Cat. No.: EQP83-WE_GRIF_HOBBYFIL_MP20X20WH

CODE: SP-FCH-001

POSITION 1

BLACK HEAD PLATE (PUMP SIDE) 20X20 FOR GRIFO HOBBY PLATE FILTER

Cat. No.: EQP83-WE_GRIF_HOBBYFIL_LBP20X20BL

CODE: SP-FCH-002

POSITION 2


BLACK END PLATE 20X20 FOR GRIFO HOBBY PLATE FILTER

Cat. No.: EQP83-WE_GRIF_HOBBYFIL_RBP20X20BL

CODE: SP-FCH-003

POSITION 3

Grifo Hobby Wine Filter, 6 (Model FCH6) & 10 (Model FCH10) Plate, 20x20 cm, Parts




MIDDLE GASKET (TAN COLOR) FOR GRIFO HOBBY PLATE FILTER

Cat. No.: EQP83HOBBY-MIDDLE_GASKET

CODE: SP-FCH-004

POSITION 4




END GASKET (TAN COLOR) FOR GRIFO HOBBY PLATE FILTER

Cat. No.: EQP83HOBBY-END_GASKET

CODE: SP-FCH-005

POSITION 5



PRESSURE GAUGE FOR GRIFO HOBBY PLATE FILTER

Cat. No.: EQP83HOBBY-PRESSGAUGE20X20

CODE: SP-FCH-012

POSITION 12



BLACK PLASTIC TIGHTENING SCREW FOR GRIFO HOBBY PLATE FILTER


Cat. No.: EQP83HOBBY-BLPLTSCREW

CODE: SP-FCH-013

POSITION 13



Grifo Grape Crusher / Grape Destemmer (Stand Type / DMA, DMAI) Parts



PLASTIC FLY WHEEL & HANDLE FOR GRIFO DMA-DMAI

Cat. No.: EQP83DMA-DMAI-PFLYWH

Code: SP-DMA-030A



COMPLETE FLY WHEEL HANDLE FOR GRIFO DMA-DMAI

Cat. No.: EQP83DMA-DMAI-FLYWHHAN

Code: SP-DMA-029



Grifo Grape Crusher / Grape Destemmer (Stand Type / DMA, DMAI) Parts

DESTEMMER PROTECTION BOX FOR GRIFO MODELS DMA-DMAI AND DMC-DMCSI-DMCI

Cat. No.: EQP83-WEPROTECTBOX-DMA-DMC

Code: SP-DMA-006/SP-DMC-006



NOTE: The destemmer protection box is the same for the manual and motorized models DMA-DMAI AND DMC-DMCSI-DMCI.



NOTE: Grifo Destemmer manual models use one black plastic inclined support and one white plastic inclined support for the agitator (auger).

INCLINED BLACK PLASTIC SUPPORT FOR AGITATOR (AUGER) FOR GRIFO MODELS DMA-DMAI AND DMC-DMCSI-DMCI

Cat. No.: EQP83-INSUPBLPL-DMA-DMC

Code: SP-DMA-003 / SP-DMC-004



NOTE: The inclined black plastic support for the agitator (auger) is shared by both the manual and motorized models, DMA-DMAI and DMC-DMCSI-DMCI. The manual models use one black plastic support and one white plastic support. The motorized models use two black plastic supports.

INCLINED WHITE PLASTIC SUPPORT FOR AGITATOR (AUGER) FOR GRIFO MODELS DMA-DMAI

Cat. No.: EQP83-INSUPWHPL-DMA-DMAI

Code: SP-DMA-004



Grifo Grape Crusher / Grape Destemmer (Stand Type / DMA, DMAI) Parts



STAINLESS STEEL AGITATOR (AUGER) FOR GRIFO DMA-DMAI

Cat. No.: EQP83DMA-DMAI-SSAGIT

Code: SP-DMA-002B



Length 39 cm

LONG LEFT ROLLER FOR GRIFO DMA-DMAI

Cat. No.: EQP83-L-L-R-DMA-DMAI

Code: SP-DMA-011



NOTE: The long left roller for the manual models DMA-DMAI is different than long left roller for the motorized models DMC-DMCSI-DMCI. The shaft on the roller for the DMA-DMAI is longer than the motorized models.

SHORT RIGHT ROLLER FOR GRIFO DMA-DMAI AND DMC-DMCSI-DMCI

Cat. No.: EQP83-S-R-R-DMA-DMC

Code: SP-DMA-012 / SP-DMC-012



NOTE: The short right roller is shared by both the manual and motorized models, DMA-DMAI and DMC-DMCSI-DMCI. It is the same part.

Grifo Grape Crusher / Grape Destemmer (Stand Type / DMA, DMAI) Parts



BEARING, 6304 2RS, FOR GRIFO CRUSHER-DESTEMMERS MODELS DMA-DMAI
AND DMC-DMCSI-DMCI

Cat. No.: EQP83-B63042RS-DMA-DMC

Code: SP-DMA-022 / SP-DMC-023



NOTE: The bearing is shared by both the manual and motorized models, DMA-DMAI and DMC-DMCSI-DMCI. It is the same part.

BEARING SUPPORT FOR GRIFO CRUSHER-DESTEMMERS MODELS DMA-DMAI AND DMC-DMCSI-DMCI

Cat. No.: EQP83-B-S-DMA-DMC

Code: SP-DMA-023 / SP-DMC-024



NOTE: The bearing support is shared by both the manual and motorized models, DMA-DMAI and DMC-DMCSI-DMCI. It is the same part.

Grifo Grape Crusher / Grape Destemmer (Stand Type / DMA, DMAI) Parts



CROWN GEAR FOR CHAIN FOR GRIFO MODELS DMA-DMAI AND DMC-DMCSI-DMCI

Cat. No.: EQP83-CRGEAR-DMA-DMC

Code: SP-DMA-015/SP-DMC-016



NOTE: The crown gear is the same for the manual and motorized models DMA-DMAI AND DMC-DMCSI-DMCI. It is the same part.

The crown gear pictured on the left is a newer style and replaces the one on the right. The two crown gears are interchangeable.

GRIFO CONVERSION KIT: MANUAL TO MOTORIZED, INCLUDES 110 VOLT MOTOR, COVER, PULLEY AND BELT



Cat. No.: EQP83-WECONVERSION KIT

Code: SP-DMA-033



This kit will turn a Grifo manual crusher / destemmer into a completely functional electric model. The ideal solution for those who bought a manual machine and need to step-up their production.

Grifo Grape Crusher / Grape Destemmer (Stand Type Type / DMC, DMCSI, DMCI) Parts



Grifo Grape Crusher / Grape Destemmer (Stand Type Type / DMC, DMCSI, DMCI) Parts

DESTEMMER PROTECTION BOX FOR GRIFO MODELS DMA-DMAI AND DMC-DMCSI-DMCI

Cat. No.: EQP83-WEPROTECTBOX-DMA-DMC

Code: SP-DMA-006/SP-DMC-006




NOTE: The destemmer protection box is the same for the manual and motorized models DMA-DMAI AND DMC-DMCSI-DMCI.

INCLINED BLACK PLASTIC SUPPORT FOR AGITATOR (AUGER) FOR GRIFO MODELS DMA-DMAI AND DMC-DMCSI-DMCI

Cat. No.: EQP83-INSUPBLPL-DMA-DMC

Code: SP-DMA-003 / SP-DMC-004



NOTE: The inclined black plastic support for the agitator (auger) is shared by both the manual and motorized models, DMA-DMAI and DMC-DMCSI-DMCI. The manual models use one black plastic support and one white plastic support. The motorized models use two black plastic supports.

GEAR CASING (BLACK PLASTIC COVER) FOR GRIFO GRAPE CRUSHER DESTEMMERS MODELS DMC-DMCSI-DMCI

Cat. No.: EQP83-WEGEARCASE_GRIFO_DMC_DMCSI_DMCI

CODE: SP-DMC-041



REAR COVER (BLACK PLASTIC) FOR GRIFO GRAPE CRUSHER DESTEMMERS MODELS DMC-DMCSI-DMCI

Cat. No.: EQP83-WEREARCOV_GRIFO_DMC_DMCSI_DMCI

CODE: SP-DMC-040



Grifo Grape Crusher / Grape Destemmer (Stand Type Type / DMC, DMCSI, DMCI) Parts

LONG LEFT ROLLER FOR GRIFO DMC-DMCSI-DMCI

Cat. No.: EQP83-L-L-R-DMC-DMCSI-DMCI

Code: SP-DMC-011



NOTE: The long left roller for the motorized models DMC-DMCSI-DMCI is different than long left roller for the manual models DMA-DMAI. The shaft on the roller for the DMC-DMCSI-DMCI is shorter than the manual models.

SHORT RIGHT ROLLER FOR GRIFO DMA-DMAI AND DMC-DMCSI-DMCI

Cat. No.: EQP83-S-R-R-DMA-DMC

Code: SP-DMA-012 / SP-DMC-012



NOTE: The short right roller is shared by both the manual and motorized models, DMA-DMAI and DMC-DMCSI-DMCI. It is the same part.

BEARING, 6304 2RS, FOR GRIFO CRUSHER-DESTEMMERS MODELS DMA-DMAI AND DMC-DMCSI-DMCI

Cat. No.: EQP83-B63042RS-DMA-DMC

Code: SP-DMA-022 / SP-DMC-023



NOTE: The bearing is shared by both the manual and motorized models, DMA-DMAI and DMC-DMCSI-DMCI. It is the same part.

BEARING SUPPORT FOR GRIFO CRUSHER-DESTEMMERS MODELS DMA-DMAI AND DMC-DMCSI-DMCI

Cat. No.: EQP83-B-S-DMA-DMC

Code: SP-DMA-023 / SP-DMC-024




NOTE: The bearing support is shared by both the manual and motorized models, DMA-DMAI and DMC-DMCSI-DMCI. It is the same part.

Grifo Grape Crusher / Grape Destemmer (Stand Type Type / DMC, DMCSI, DMCI) Parts

REPLACEMENT MOTOR, 110 VOLT/60 Hz FOR GRIFO GRAPE CRUSHER/DESTEMMER DMC, DMCI, AND DMCSI

Cat. No.: EQP83-WEMOTOR

Code: SP-DMC-031D



IMPORTANT NOTE: The style of switches (On/Off & Emergency Stop) have changed over the years. In order to ensure you get the correct switch we recommend you send us a picture of the switch and also note the manufacturer number.

REPLACEMENT ON/OFF SWITCH FOR MOTOR WITH EMERGENCY STOP BUTTON, 110 VOLT/60 Hz FOR GRIFO GRAPE CRUSHER/DESTEMMER DMC, DMCI, AND DMCSI

Cat. No.: EQP83-SW-CE-HP1

Code: SP-DMC-037A



Grifo Grape Crusher / Grape Destemmer (Stand Type Type / DMC, DMCSI, DMCI) Parts

REPLACEMENT EMERGENCY STOP BUTTON (OLD STYLE) FOR MOTOR, 110 VOLT/60 Hz
FOR GRIFO GRAPE CRUSHER/DESTEMMER DMC, DMCI, AND DMCSI
Cat. No.: EQP83-EM-STOP-OS-DMC



Old style emergency stop button pictured above.


REPLACEMENT ON/OFF SWITCH FOR MOTOR (OLD STYLE), 110 VOLT/60 Hz FOR GRIFO GRAPE CRUSHER/DESTEMMER DMC, DMCI, AND DMCSI WITH BLACK SUPPORT IS NO LONGER AVAILABLE.



REPLACEMENT ON/OFF SWITCH FOR MOTOR (OLD STYLE), 110 VOLT/60 Hz FOR GRIFO GRAPE CRUSHER/DESTEMMER DMC, DMCI, AND DMCSI
Cat. No.: EQP83-ON-OFF-OS-DMC



Marchisio PVC Capsule Heat Shrink Applicator, Bench Model, 110 Volt Parts



POS	DESCRIPTION
1	Base
2	Cradle For Bottle
4	External Protection Grate
5	Internal Protection Cover
6	Heating Coil
7	Hinge Pin For Cradle
8	Height Adjustment Slot
9	Cradle
10	On-Off Switch
11	Fuse Holder
12	Cable With Plug

FUSE HOLDER FOR MARCHISIO PVC CAPSULE HEAT SHRINK APPLICATOR, BENCH MODEL, 110 VOLT
Cat. No.: EQP-HEAT SEALER FUSE HOLDER
CODE:
POSITION 11




FUSE FOR MARCHISIO PVC CAPSULE HEAT SHRINK APPLICATOR, BENCH MODEL, 110 VOLT
Cat. No.: EQP-HEAT SEALER FUSE
CODE:
POSITION



HEAT COIL FOR MARCHISIO PVC CAPSULE HEAT SHRINK APPLICATOR, BENCH MODEL, 110 VOLT
Cat. No.: EQP-HEAT SEALER COIL
CODE:
POSITION 6



Marchisio PVC Capsule Heat Shrink Applicator, Bench Model, 110 Volt Parts



POS	DESCRIPTION
1	Base
2	Cradle For Bottle
4	External Protection Grate
5	Internal Protection Cover
6	Heating Coil
7	Hinge Pin For Cradle
8	Height Adjustment Slot
9	Cradle
10	On-Off Switch
11	Fuse Holder
12	Cable With Plug

ON / OFF SWITCH FOR MARCHISIO PVC CAPSULE HEAT SHRINK APPLICATOR, BENCH MODEL, 110 VOLT

Cat. No.: EQP-HEAT SEALER SWITCH

CODE:

POSITION 10



Zambelli - Large Floor Corker Parts

Replacement Nickel Jaws For Zambelli Large Floor Corker

(Comes in 4 Pieces-2 of each pictured below)


Cat. No.: RJZRLFC




Grifo - Italian Floor Corker Parts

Replacement Brass Jaws For Grifo Floor Corker (Comes in 4 Pieces)


Cat. No.: EQP83CRKPRT-HC_JAWS_BRASS



Grifo - Manual Crown Capper Model TCSG, Parts



REPLACEMENT CANDLE SUPER, POSITION 2, FOR
GRIFO MANUAL CROWN CAPPER, MODEL TCSG
Cat. No.: EQP83CAP-TCSG-PART-CANSUP-POS2



REPLACEMENT SUPER MAGNET, POSITION 3, FOR
GRIFO MANUAL CROWN CAPPER, MODEL TCSG
Cat. No.: EQP83CAP-TCSG-PART-SUPMAG-POS3




Grifo - Manual Crown Capper Model TCSG, Parts-Continued

**REPLACEMENT INNER CANDLE SPRING, POSITION 9, FOR
GRIFO MANUAL CROWN CAPPER, MODEL TCSG
Cat. No.: EQP83CAP-TCSG-PART-INCANSR-POS9**



**REPLACEMENT SUPER GEAR ø 30, POSITION 17, FOR
GRIFO MANUAL CROWN CAPPER, MODEL TCSG
Cat. No.: EQP83CAP-TCSG-PART-SUPGEAR30-POS17**



**REPLACEMENT CAPPING HEAD, 26mm, POSITION 14,
FOR GRIFO MANUAL CROWN CAPPER, MODEL TCSG
Cat. No.: EQP83CAP-TCSG-PART-CH26MM-POS14**




**REPLACEMENT CAPPING HEAD, 29mm, POSITION 15,
FOR GRIFO MANUAL CROWN CAPPER, MODEL TCSG
Cat. No.: EQP83CAP-TCSG-PART-CH29MM-POS15**



Zambelli Hydro (Water) Press Parts (Specify Model When Ordering).

Zambelli Hydro (Water) presses come in 20, 40, and 80 liter sizes. Some of the same parts are shared by the presses and some are not. Please specify the model when ordering parts.



POS	DESCRIPTION	POS	DESCRIPTION
1	Air Relief Valve	16	Lower Flange
2	Locking Crank	17	Collecting Base
3	Cover	18	Lower Locknut In S.S.
4	Top Locknut In S.S.	19	FF Elbow
5	Washer In S.S.	20	Connecting Distance Pipe
6	Grommet	21	Leg Bolt
7	Top Flange I	22	Pressure Gauge
8	Top Flange II	23	Emptying Tap
9	Membrane	24	Connecting Block
10	Grommet	25	Safety Valve
11	Washer In S.S.	26	Fast Connection Swift
12	Cage	27	Gasket For Fast Connection
13	Central Shaft	28	Fast Connection For Hose Nipple
14	Washer In S.S.	29	Supporting Leg
15	Grommet	30	Rubber Cap For Leg

Zambelli Hydro (Water) Press Parts (Specify Model When Ordering).

Zambelli Hydro (Water) presses come in 20, 40, and 80 liter sizes. Some of the same parts are shared by the presses and some are not. Please specify the model when ordering parts.

Zambelli Hydro (Water) Press Parts (Specify Model When Ordering).

AIR RELIEF VALVE, 1/4" GAS, FITS ZAMBELLI HYDRO, 20, 40, 80, And 160 LITER PRESS
Cat. No.: AIR-RELIEF-VALVE1/4"

NOTE: The Zambelli Hydro 20, 40, 80, and 160 liter presses take the same 1/4" GAS air relief valve. A 1/4" GAS measures 13.15 mm (.51") diameter for the male threaded part of the valve.



LOCKING CRANK FOR ZAMBELLI HYDRO 20 AND 40 LITER SIZE PRESS
Cat. No.: LOCKING_CRANK_HY20&40

NOTE: The locking crank for the Zambelli Hydro 20 and 40 press are the same part. The hole on the locking crank that the central shaft goes through measures 20 mm or 3/4" for both a Hydro 20 and 40. The threaded central shaft for the Hydro 20/40 is size M20 which is a metric measurement. The handle is 7.5" wide.



LOCKING CRANK FOR ZAMBELLI HYDRO 80 AND 160 LITER SIZE PRESS
Cat. No.: LOCKING_CRANK_HY80&160

NOTE: The locking crank for the Zambelli Hydro 80 and 160 press are the same part. The hole on the locking crank that the central shaft goes through measures 24 mm or .944" for both a Hydro 80 and 160. The threaded central shaft for the Hydro 80/160 is size M24 which is a metric measurement. The handle is also 7.5" wide.



Zambelli Hydro (Water) Press Parts (Specify Model When Ordering).

Zambelli Hydro (Water) presses come in 20, 40, and 80 liter sizes. Some of the same parts are shared by the presses. Please specify the model when ordering parts.

PRESSURE GAUGE FOR ZAMBELLI HYDRO, 20, 40, 80, And 160 LITER PRESS
Cat. No.: PR-GA-HYDRO20TO160

NOTE: Male threaded end of the gauge measures 1/2". The diameter of the gauge is 50mm. This pressure gauge is interchangeable with the 6 bar pressure gauge.



REPLACEMENT G 1/2" DRAIN TAP WITH HOSE HOLDER FOR HYDRO
20, 40, 80, 160, LITER PRESS, POSITION #23
Cat. No.: EQP85PRESSPT-G1/2-DR-TAP
Code: 1188R00168



SWIFT HOSE CONNECTOR Ø15, G 1/2", FOR HYDRO 20, 40, 80, 160,
LITER PRESS, POSITION #26-27-28
Cat. No.: EQP85PRESSPT-SW-CON-Ø15-G1/2
Code: 1188R00160



Zambelli Hydro (Water) Press Parts (Specify Model When Ordering).

Zambelli Hydro (Water) presses come in 20, 40, and 80 liter sizes. Some of the same parts are shared by the presses and some are not. Please specify the model when ordering parts.

SAFETY VALVE, G 1/2" MALE , 4 BAR, FOR HYDRO 20, 40, LITER PRESS, POSITION #25

Cat. No.: EQP85PRESSPRT-SV-G1/2-4BAR

Code: 1188R00170



SAFETY VALVE, G 1/2" MALE , 3 BAR, FOR HYDRO 80, 160, 300, 450, LITER PRESS, POSITION #25

Cat. No.: EQP85PRESSPRT-SV-G1/2-3BAR


Code: 1188R00171



ALUMINUM CONNECTING BLOCK FOR HYDRO 20, 40, LITER PRESS, POSITION #24

Cat. No.: EQP85PRESSPRT-AL-BL-20&40


Code: 1188R00172



ALUMINUM CONNECTING BLOCK FOR HYDRO 80, 160, LITER PRESS, POSITION #24

Cat. No.: EQP85PRESSPRT-AL-BL-80&160

Code: 1188R00173



Zambelli Hydro 20 to 80 (Water) Press Parts (specify model when ordering).

Replacement Bladder (Membrane) For Zambelli Hydro Models

Replacement Bladder (Recommended) For 20 Liter Water Press
Cat. No. EQP85PRESSPRT-BLADDER20L

Replacement Bladder (Recommended) For 40 Liter Water Press
Cat. No. EQP85PRESSPRT-BLADDER40L

Replacement Bladder (Recommended) For 80 Liter Water Press
Cat. No. EQP85PRESSPRT-BLADDER80L




Diagram For 20 Liter Bladder

Dimensions:
Height: 375mm (14.76")
Width: 140mm (5.51")
Hole Diameter: 78mm (3.07")




Diagram For 40 Liter Bladder

Dimensions:
Height: 445mm (17.50")
Width: 198mm (7.79")
Hole Diameter: 99mm (3.89")




Diagram For 80 Liter Bladder

Dimensions:
Height: 540mm (21.25")
Width: 198mm (7.79")
Hole Diameter: 99mm (3.89")

Zambelli Hydro (Water) Press Parts (Specify Model When Ordering).

Replacement Internal Mesh Liner For Zambelli 20 Liter Hydro (Water) Press
(Approximately 22" H x 18" W laying flat)
Cat. No.: EQPPRESSPRTNYLON-INTBAG20L



Replacement Internal Mesh Liner For Zambelli 40 Liter Hydro (Water) Press
(Approximately 27.5" H x 22" W laying flat)
Cat. No.: EQPPRESSPRTNYLON-INTBAG40L



Replacement Internal Mesh Liner For Zambelli 80 Liter Hydro (Water) Press
(Approximately 31.5" H x 27.5" W laying flat)
Cat. No.: EQPPRESSPRTNYLON-INTBAG80L



Nylon (Orange) Internal Liner For 20 Liter Water Press
(Approximately 21.5" H x 18" W laying flat)
Cat. No.: EQPPRESSPRTNYLON-INTSACK20L-ORANGE

WHILE SUPPLIES LAST



Tan Cloth Internal Liner For 20 Liter Water Press
(Approximately 21.5" H x 18" W laying flat)
Cat. No.: EQPPRESSPRTCLOTH-INTBAG20L

WHILE SUPPLIES LAST



Replacement Plastic External Cover For Zambelli 20 Liter Hydro (Water) Press
Cat. No.: EQP85PRESSPRT-COVER20



Replacement Plastic External Cover For Zambelli 40 Liter Hydro (Water) Press
Cat. No.: EQP85PRESSPRT-COVER40



Replacement Plastic External Cover For Zambelli 80 Liter Hydro (Water) Press
Cat. No.: EQP85PRESSPRT-COVER80



Plastic Barrels (FUSTINO A BOTTICELLA) -White-Parts

PLASTIC SPIGOT-1/4" FOR FUSTINO A BOTTICELLA, FITS 50 & 100 LITER

Cat. No.: EQPFABPRT-PLASTICSPIGOT1/4



REPLACEMENT CAP FOR TOP, FUSTINO A BOTTICELLA, FITS 50 & 100 LITER

Cat. No.: EQPFABPRT-REPL-CAP-TOP



REPLACEMENT TOP FOR FUSTINO A BOTTICELLA, FITS 50 & 100 LITER

Cat. No.: EQPFABPRT-REPL_TOP



REPLACEMENT TOP GASKET FOR FUSTINO A BOTTICELLA, FITS 50 & 100 LITER

Cat. No.: EQPFABPRT-TOPGASKET



REPLACEMENT CAP FOR BASE, FUSTINO A BOTTICELLA, FITS 50 & 100 LITER

Cat. No.: EQPFABPRT-REPL-CAP-BASE



Marchisio Ratchet Press Parts

Important note: specify model and cage diameter when ordering replacement parts.

Wooden Blocks, Set Of Four Or Six Depending On Press Size. For Wooden & Stainless Steel Ratchet Presses.

Cat.#	Description	Cage Ø (cm)
WBLOCK-30	Wooden Blocks For Ø 30 Press	30
WBLOCK-35	Wooden Blocks For Ø 35 Press	35
WBLOCK-40	Wooden Blocks For Ø 40 Press	40
WBLOCK-45	Wooden Blocks For Ø 45 Press	45
WBLOCK-50	Wooden Blocks For Ø 50 Press	50
WBLOCK-55	Wooden Blocks For Ø 55 Press	55
WBLOCK-60	Wooden Blocks For Ø 60 Press	60



Ratchet Pawl For Wooden & Stainless Steel Ratchet Presses-Priced Each.

NOTE: The ratchet press needs two pawls to operate. The ratchet pawl for the Ø 30 to Ø 50 press measures approximately 23mm wide by 70mm long.

Cat.#	Description	Cage Ø (cm)
30-50-PAWL-EACH	Ratchet Pawl For Ø 30 To Ø 50 Press	30 To 50
55-PAWL-EACH	Ratchet Pawl For Ø 55 Press	55



Cage Locking Pins, Set, For Wooden & Stainless Steel Ratchet Presses

Cat.#	Description	Cage Ø (cm)
MLP30	Locking Pins For Ø 30 Press	30
MLP35	Locking Pins For Ø 35 Press	35
MLP40	Locking Pins For Ø 40 Press	40
MLP45	Locking Pins For Ø 45 Press	45
MLP50	Locking Pins For Ø 50 Press	50
MLP55	Locking Pins For Ø 55 Press	55



Marchisio Ratchet Press Parts-Continued

Pair Of Half Moons, Set, For Wooden & Stainless Steel Ratchet Presses

Cat.#	Description	Cage Ø (cm)
HALFMOON30	Pair Of Half Moons For Ø 30 Press	30
HALFMOON35	Pair Of Half Moons For Ø 35 Press	35
HALFMOON40	Pair Of Half Moons For Ø 40 Press	40
HALFMOON45	Pair Of Half Moons For Ø 45 Press	45
HALFMOON50	Pair Of Half Moons For Ø 50 Press	50
HALFMOON55	Pair Of Half Moons For Ø 55 Press	55
HALFMOON60	Pair Of Half Moons For Ø 60 Press	60




Complete And Threaded Ratcheting Mechanism, For Wooden & Stainless Steel Ratchet Presses

Cat.#	Description	Cage Ø (cm)
30-RATCH-HEAD	Complete And Threaded Ratcheting Mechanism (Head) For Ø 30 Press	30
35-RATCH-HEAD	Complete And Threaded Ratcheting Mechanism (Head) For Ø 35 Press	35
40-RATCH-HEAD	Complete And Threaded Ratcheting Mechanism (Head) For Ø 40 Press	40
45-RATCH-HEAD	Complete And Threaded Ratcheting Mechanism (Head) For Ø 45 Press	45
50-RATCH-HEAD	Complete And Threaded Ratcheting Mechanism (Head) For Ø 50 Press	50
55-RATCH-HEAD	Complete And Threaded Ratcheting Mechanism (Head) For Ø 55 Press	55



Marchisio Electric Pump Bronze / Model 20 Type EEM20 Parts



BRONZE IMPELLOR FOR MODEL 20,
TYPE EEM20, ELECTRIC BRONZE
TRANSFER PUMP, POSITION 13
Cat. No.: EQPPUMPRT-20IMPELLOR_BR

1	Motor fan	14	Seal washer	28	Conical gasket
2	Fan cover	15	Tab	29	Threaded sleeve
3	Front bearing	18	Capacitor (single-phase pumps only)	30	Hex head screw
4	Pump flange	19A	Toggle switch (series EEM only)	31	Hex head hollow screw
5	Counterflange	19B	Rotary switch (other single-phase and three-phase series)	61	Rear guard
6	Brush holder	20	Inverter box	62	Rear bearing
7	Brush	21	Terminal box	63	Casing with stator
8	Counterflange gasket	22	Terminal block	64	Shaft with rotor
9A	Stainless steel Seeger ring	23	Stud	65	Rear internal part
9B	Stainless steel seal ring	24	Cable clamping bracket	66	Front internal part
9C	Brass seal ring	25	Straight fitting	67	Seal
9D	Seal spacer	26	Curved fitting	67A	Mech. seal rotating part
10	Pump body	27	Ring nut	67B	Mech. seal fixed part - counterface
11	Pump cover			67C	Mech. seal fixed part - shroud
12	O-ring			68	Motor seal
13	Impeller				




**Complete Rebuild Kit For Marchisio Electric Pump
Bronze / Model 20 Type EEM20**
Includes: Part#8: Counter Flange Gasket, Part
#12: O-Ring, Part #67: Seal, Part#68: Motor Seal
Cat. No.: 20REBUILDKIT



**REPLACEMENT CURVED AND STRAIGHT CONNEC-
TION FITTINGS FOR EEM 20 ELECTRIC BRONZE
TRANSFER PUMP (PACKED TOGETHER)**
Positions 25 and 26 sold as a set.
Cat. No.: CONNBASSEEM20

Reber Tomato Processor Parts- Specify model when ordering.



Drip Pan



Funnel



Coupling Pin (Pivot) With Spring



Filter Cone



Spray Guard



Auger

POS	DESCRIPTION	NOTES	CODE		CODE	
			N. 5 Models		N. 3 Model	
1	Electric Motor					
2	Reduction Flange	For 1.50 hp takes code 1014 L9	1014 L		1016 L	
	Reduction Gear Cover Gasket		1032 A		1041 A	
3	Small Gear	N. 3 Machine has gears 3 & 5 only			1025 A	
4	Twin (Double) Gear		1020 SER			
5	Gear With Hub	N. 3 Machine has gears 3 & 5 only			1024 A	
5a	Reduction Gear Cap		1035 A (Red) or 1037 A (Black W Bleed)		1035 A (Red) or 1037 A (Black W Bleed)	
6	Reduction Gear Cover		1015 L		1017 L	
7	Pestle		2005 A		3003 A	
8	Funnel		5000 N		5100 N	
9	Tomato Squeezer		2000 L		3000 L	
10	Auger (Propeller)		2001 P		3001 P	
11	Filter Cone		5303 N		5503 N	
12	Drip Pan		5600 N		5700 N	
13	Coupling Pin (Pivot) W. Spring		2002 MA		3005 MA	
14	Gear Cover Seal	Exterior	1027 A		1030 A	
15	Base		1051 MA		1052 MA	
16	Splash Guard (not shown)		5603 L		5703 L	
	Funnel Gasket		5005 A		5105 A	
	Hydraulic Oil		1073 A		1073 A	


Reber Tomato Processor Parts- Specify model when ordering.

LUBRICANT OIL FOR REBER TOMATO PROCESSOR GEAR MOTOR, 100 cc

Cat. No.: EQP84-WETOMPROC-GEAR-OIL

Code: 1073 A

Note: To be used ONLY in case of an oil leak or when the motor is completely empty.



PESTLE FOR REBER TOMATO PROCESSOR MODEL N.5 HP MODEL, POSITION #7

Cat. No.: EQP84-WETOMPROC N5PESTLE

Code: 2005 A



PESTLE FOR REBER TOMATO PROCESSOR MODEL N.3 HP MODEL, POSITION #7

Cat. No.: EQP84-WETOMPROC N3PESTLE

Code: 3003 A



COUPLING PIN (PIVOT) With Spring FOR REBER TOMATO PROCESSOR MODEL N-5, CODE: 2002 MA

Cat. No.: EQP84-WETOMPROC N5-PIV-SPRING

Code: 2002 MA



Coupling Pin With Spring

Reber Tomato Processor Parts- Specify model when ordering.

MODEL N-5 DRIP PAN FOR REBER TOMATO PROCESSOR, POSITION #12

Cat. No.: EQP84TOMPRO-N5DRIPPAN

Code: 5600 N



MODEL N-3 DRIP PAN FOR REBER TOMATO PROCESSOR, POSITION #12

Cat. No.: EQP84TOMPRO-N3DRIPPAN

Code: 5700 N



MODEL N-5 FILTER CONE FOR REBER TOMATO PROCESSOR, POSITION #11

Cat. No.: EQP84-WETOMPROCN5FILTERCONE

Code: 5303 N



MODEL N-3 FILTER CONE FOR REBER TOMATO PROCESSOR, POSITION #11

Cat. No.: EQP84TOMPRO-N3FILTERCONE

Code: 5503 N



Reber Tomato Processor Parts- Specify model when ordering.

MODEL N-5 FUNNEL FOR REBER TOMATO PROCESSOR, POSITION #8

Cat. No.: EQP84TOMPRO-N5FUNNEL

DIMENSIONS: DIAMETER 27cm

Code: 5000 N



MODEL N-3 FUNNEL FOR REBER TOMATO PROCESSOR, POSITION #8

Cat. No.: EQP84TOMPRO-N3FUNNEL

DIMENSIONS: DIAMETER 22cm


Code: 5100 N



MODEL N-5 AUGER FOR REBER TOMATO PROCESSOR, POSITION #10

Cat. No.: EQP84-WETOMPROCN5AUGER


Code: 2001 P



MODEL N-3 AUGER FOR REBER TOMATO PROCESSOR, POSITION #10

Cat. No.: EQP84TOMPRO-N3AUGER

Code: 3001 P



Reber Tomato Processor Parts- Specify model when ordering.

MODEL N-5 SPLASH GUARD FOR REBER TOMATO PROCESSOR

Cat. No.: EQP84TOMPRO-N5SPGUARD

Code: 5603 L



MODEL N-3 SPLASH GUARD FOR REBER TOMATO PROCESSOR

Cat. No.: EQP84TOMPRO-N3SPGUARD

Code: 5703 L



MODEL N-3 AND N-5 REDUCTION GEAR CAP BLACK WITH VENT FOR REBER TOMATO PROCESSOR

Cat. No.: EQP84-WETOMPROCRCAP-BWV

Code: 1037 A



MODEL N-3 AND N-5 REDUCTION GEAR CAP RED (CLOSED) FOR REBER TOMATO PROCESSOR

Cat. No.: EQP84-WETOMPROCRCAP-RC

Code: 1035 A



MODEL N-3 (1025A) SMALL GEAR FOR REBER TOMATO PROCESSOR

Cat. No.: EQP84TOMPRO-N3TSMALLGEAR

Code: 1025 A



MODEL N-5 SMALL GEAR FOR REBER TOMATO PROCESSOR

Cat. No.: EQP84TOMPRO-N5TSMALLGEAR

Code:



Reber Tomato Processor Parts- Specify model when ordering.

MODEL N-3 GEAR COVER SEAL, CODE 1030A, POSITION 14, FOR REBER TOMATO PROCESSOR

Cat. No.: EQP84-WETOMPROCN3GCSEAL

Code: 1030 A

- Seal Reference Number: TC 35 47 7
- 47mm Outside Diameter
- 35mm Inside Diameter



MODEL N-5, GEAR COVER SEAL, CODE 1027A, POSITION 14, FOR REBER TOMATO PROCESSOR

Cat. No.: EQP84-WETOMPROCN5GCSEAL

Code: 1027 A



- Seal Reference Number: SC 45 60 7
- 60mm Outside Diameter
- 43.5mm Inside Diameter



MODEL N-3 GEAR WITH HUB, CODE 1024A, POSITION 5, FOR REBER TOMATO PROCESSOR


Cat. No.: EQP84TOMPRO-N3GEARWITHHUB

Code: 1024 A



MODEL N-3 TWIN DOUBLE GEAR (NYLON) FOR REBER TOMATO PROCESSOR

Cat. No.: EQP84-WETOMPROCN3TDGEAR



N-5 TWIN DOUBLE GEAR (METAL) FOR REBER TOMATO PROCESSOR

Cat. No.: EQP84-WETOMPROCN5TDGEAR



Premium Wine Grapes & Juice For Home Winemakers**California Wine Grapes & Juice (Available Each Fall)**

Gino Pinto Inc. distributes a wide variety of grapes through our growers in California. California grapes are world-renowned. Varieties of white grape that are available include: Albarino, Chardonnay, French Colombard, Gewurztraminer, Malvasia Bianca, Muscat Alexandria, Muscat Canelli, Sauvignon Blanc, Pinot Grigio, Riesling, Thompson Seedless, and Viognier.

Reds include: Barbera, Black Malvasia, Cabernet Franc, Cabernet Sauvignon, Carignane, Grenache, Malbec, Merlot, Mourvedre, Nebbiolo, Petite Syrah, Petite Verdot, Pinot Noir, Pinotage, Ruby Cabernet, Sangiovese, Syrah, Tempranillo, and Zinfandel.

Also offered in the Fall are California and Italian varietal grape juice packed in 6 gallon buckets for winemakers who want to avoid grape crushing and pressing.

Chilean Wine Grapes & Juice (Available Each Spring)

Gino Pinto Inc. also sources grapes from the Curico Valley in Chile. Available Chilean fresh red grape varieties include: Cabernet Franc, Cabernet Sauvignon, Merlot, Syrah, Malbec, Pinot Noir, Petite Verdot, and Carmenere. Available Chilean fresh white grape varieties include: Chardonnay, Sauvignon Blanc, and Viognier.

Chilean juices packed in 6 gallon buckets available in red are: Cabernet Franc, Cabernet Sauvignon, Cab./Merlot Blend, Merlot, Syrah, Malbec, Pinot Noir, Petite Verdot, and Carmenere. Whites offered are Chardonnay, Muscat, Pinot Grigio, Sauvignon Blanc, Riesling, and Viognier.

South African Wine Juice (Available Each Spring)

South African juice packed in 6 gallon buckets in red include: Barbera, Cabernet Sauvignon, Merlot, Pinotage, and Shiraz. Whites include: Chardonnay, Chenin Blanc, Pinto Grigio, Sauvignon Blanc, and Semillon.

Fruit Juice For Home Winemakers

Each Spring and Fall we offer “Natural Select” Fruit Juice for home winemaking in 6 gallon buckets.

Experiment with new flavors and unique blends. An ideal solution for winemakers looking to make fruit wines.

Perfect as a varietal or blending partner.

- 100% Natural Juice. 100% Natural Flavor
- 22° Brix base with acidity between .80% to 1.00%
- Complete and immediately ready to begin the fermentation process
- Prefiltered for predictable yield

Juices include: Apple, Blackberry, Blackcurrant, Blueberry, Cherry (Tart), Concord, Cranberry, Elderberry, Mango, Dragon Fruit, Peach, Pear, Pineapple, Plum, Raspberry, and Strawberry.

